

# Hyperhidrose – 1720 Références

## 1 - 500

1: Huh CH, Han KH, Seo KI, Eun HC.

Botulinum toxin treatment for a compensatory hyperhidrosis subsequent to an upper thoracic sympathectomy.

J Dermatolog Treat. 2002 Jun;13(2):91-3.

PMID: 12060509

2: Akdeniz S, Harman M, Aluclu U, Alp S.

Axillary hyperhidrosis treated with botulinum toxin A exotoxin.

J Eur Acad Dermatol Venereol. 2002 Mar;16(2):171-2. No abstract available.

PMID: 12046827

3: Altman RS, Schwartz RA.

Emotionally induced hyperhidrosis.

Cutis. 2002 May;69(5):336-8.

PMID: 12041810

4: Wollenberg A, Butnaru C, Oppel T.

Phacomatosis pigmentokeratolica (Happle) in a 23-year-old man.

Acta Derm Venereol. 2002;82(1):55-7.

PMID: 12013201

5: Ming-Chien K.

Sympathectomy.

J Neurosurg. 2002 Apr;96(3 Suppl):358; discussion 358-9. No abstract available.

PMID: 11990851

6: Ashton AK, Weinstein WL.

Cyproheptadine for drug-induced sweating.

Am J Psychiatry. 2002 May;159(5):874-5. No abstract available.

PMID: 11986151

7: Togel B, Greve B, Raulin C.

Current therapeutic strategies for hyperhidrosis: a review.

Eur J Dermatol. 2002 May-Jun;12(3):219-23. Review.

PMID: 11978559

8: DeRoche ME, Steinfeld JD.

Episodic hypothermia with hyperhidrosis in a pregnant woman.

Obstet Gynecol. 2002 May;99(5 Suppl 1):880-2.

PMID: 11975943

9: Yang TF, Chan RC, Kao CL, Chiu JW, Liu TJ, Kao NT, Kuo TB.

Power spectrum analysis of heart rate variability for cerebral palsy patients.

Am J Phys Med Rehabil. 2002 May;81(5):350-4.

PMID: 11964575

10: Eisenach JH, Clark ES, Charkoudian N, Dinunno FA, Atkinson JL, Fealey RD, Dietz NM, Joyner MJ.

Effects of chronic sympathectomy on vascular function in the human forearm.

J Appl Physiol. 2002 May;92(5):2019-25.

PMID: 11960953

11: Nakamura Y, Fujimoto M, Nagata Y, Shiraishi K, Yoshizawa H, Kida H, Matsumoto Y.

Effects of endoscopic transthoracic sympathectomy on hemodynamic and neurohumoral responses to exercise in humans.

Circ J. 2002 Apr;66(4):357-61.

PMID: 11954949

12: McCleane G.

The use of intravenous phentolamine mesilate in the treatment of hyperhidrosis.

Br J Dermatol. 2002 Mar;146(3):533-4. No abstract available.

PMID: 11952566

13: Hund M, Kinkelin I, Naumann M, Hamm H.

Definition of axillary hyperhidrosis by gravimetric assessment.

Arch Dermatol. 2002 Apr;138(4):539-41. No abstract available.

PMID: 11939828

14: Kreyden OP, Heckmann M, Peschen M.

Delusional hyperhidrosis as a risk for medical overtreatment: a case of botulinophilia.

Arch Dermatol. 2002 Apr;138(4):538-9. No abstract available.

PMID: 11939827

15: Harris RJ, Benveniste G, Pfitzner J.

Cardiovascular collapse caused by carbon dioxide insufflation during one-lung anaesthesia for thoracoscopic dorsal sympathectomy.

Anaesth Intensive Care. 2002 Feb;30(1):86-9.

PMID: 11939449

16: Muller T.

Drug treatment of non-motor symptoms in Parkinson's disease.

Expert Opin Pharmacother. 2002 Apr;3(4):381-8.

PMID: 11934340

17: Kreyden OP.

[Comment on W. Harth and R. Linse: "Botulinophilia"]

Hautarzt. 2001 Dec;52(12):1141-2. German. No abstract available.

PMID: 11910868

18: Wollina U, Karamfilov T, Konrad H.

High-dose botulinum toxin type A therapy for axillary hyperhidrosis markedly prolongs the relapse-free interval.

J Am Acad Dermatol. 2002 Apr;46(4):536-40.

PMID: 11907503

19: Wollina U.

[Right-sided sweating of the head in arterial hypertension]

Dtsch Med Wochenschr. 2002 Jan 4;127(1-2):42. German. No abstract available.

PMID: 11905229

20: Blair DI, Sagel J, Taylor I.

Diabetic gustatory sweating.

South Med J. 2002 Mar;95(3):360-2. Review.

PMID: 11902707

21: Chung IH, Oh CS, Koh KS, Kim HJ, Paik HC, Lee DY.

Anatomic variations of the T2 nerve root (including the nerve of Kuntz) and their implications for sympathectomy.

J Thorac Cardiovasc Surg. 2002 Mar;123(3):498-501.

PMID: 11882821

22: Happle R.

Speckled lentiginous nevus syndrome: delineation of a new distinct neurocutaneous phenotype.

Eur J Dermatol. 2002 Mar-Apr;12(2):133-5. Review.

PMID: 11872407

23: van Steensel MA, van Geel MV, Steijlen PM.

Mal de Meleda without mutations in the ARS coding sequence.

Eur J Dermatol. 2002 Mar-Apr;12(2):129-32.

PMID: 11872406

24: Naumann M, Hamm H.

Treatment of axillary hyperhidrosis.

Br J Surg. 2002 Mar;89(3):259-61. No abstract available.

PMID: 11872047

25: Adams BB, Vargus-Adams JN, Franz DN, Kinnett DG.

Hyperhidrosis in pediatric spinal cord injury: a case report and gabapentin therapy.

J Am Acad Dermatol. 2002 Mar;46(3):444-6.

PMID: 11862186

26: Serrien DJ, Nirkko AC, Wiesendanger M.

Role of the corpus callosum in bimanual coordination: a comparison of patients with congenital and acquired callosal damage.

Eur J Neurosci. 2001 Dec;14(11):1897-905.

PMID: 11860484

27: Ro KM, Cantor RM, Lange KL, Ahn SS.

Palmar hyperhidrosis: evidence of genetic transmission.

J Vasc Surg. 2002 Feb;35(2):382-6.

PMID: 11854739

28: Beerens AJ, Snow GB.

Botulinum toxin A in the treatment of patients with Frey syndrome.

Br J Surg. 2002 Jan;89(1):116-9.

PMID: 11851676

29: Madsen JB, Illum P.

[Treatment of Frey syndrome with intracutaneous injections of botulinum toxin]

Ugeskr Laeger. 2002 Feb 4;164(6):762-5. Danish.

PMID: 11851182

30: Fibla JJ, Gomez Sebastian G.

[Video-assisted thoracoscopic sympathectomy: the experience of a Spanish cooperative group]

Arch Bronconeumol. 2002 Feb;38(2):64-6. Spanish.

PMID: 11844436

31: Han PP, Gottfried ON, Kenny KJ, Dickman CA.

Biportal thoracoscopic sympathectomy: surgical techniques and clinical results for the treatment of hyperhidrosis.

Neurosurgery. 2002 Feb;50(2):306-11; discussion 311-2.

PMID: 11844265

32: Wollina U, Karamfilov T.

Botulinum toxin A for palmar hyperhidrosis.

J Eur Acad Dermatol Venereol. 2001 Nov;15(6):555-8.

PMID: 11843216

33: Wright AT.

Basal forebrain malformation with hyperhidrosis and hypothermia: variant of Shapiro's syndrome.

Neurology. 2002 Feb 12;58(3):508-9. No abstract available.

PMID: 11839874

34: Itin PH, Lautenschlager S.

Aquagenic syringal acrokeratoderma (transient reactive papulotranslucent acrokeratoderma).

Dermatology. 2002;204(1):8-11. Review.

PMID: 11834842

35: Yan Z, Zhu L, Ni K, et Al.

[Partial sympathectomy for treating palmar hyperhidrosis with VATS]

Zhonghua Wai Ke Za Zhi. 2000 Jan;38(1):64-66. Chinese.

PMID: 11831992 [PubMed - as supplied by publisher]

36: Singh B, Moodley J, Ramdial PK, Ramsaroop L, Satyapal KS.

Pitfalls in thoracoscopic sympathectomy: mechanisms for failure.

Surg Laparosc Endosc Percutan Tech. 2001 Dec;11(6):364-7.

PMID: 11822860

37: Chan LY, Tang WY, Mok WK, Ly CY, Ip AW.

Treatment of palmar hyperhidrosis using tap water iontophoresis: local experience.

Hong Kong Med J. 1999 Jun;5(2):191-194.

PMID: 11821591 [PubMed - as supplied by publisher]

38: Reisfeld R.

The importance of different procedures for different indications in sympathetic surgery.

Ann Chir Gynaecol. 2001;90(4):301; discussion 302-3. No abstract available.

PMID: 11820422

39: Carruthers A, Carruthers J.

Update on the botulinum neurotoxins.

Skin Therapy Lett. 2001 Dec;6(13):1-2. Review.

PMID: 11813096

40: Bhakta BB, Roussounnis SH.

Treating childhood hyperhidrosis with botulinum toxin type A.

Arch Dis Child. 2002 Jan;86(1):68. No abstract available.

PMID: 11806899

41: Wang YC, Sun MH, Lin CW, Chen YJ.

Anatomical location of T2-3 sympathetic trunk and Kuntz nerve determined by transthoracic endoscopy.

J Neurosurg. 2002 Jan;96(1 Suppl):68-72.

PMID: 11795717

42: Govindaraj S, Cohen M, Genden EM, Costantino PD, Urken ML.

The use of acellular dermis in the prevention of Frey's syndrome.

Laryngoscope. 2001 Nov;111(11 Pt 1):1993-8.

PMID: 11801985

43: Requena L, Manzarbeitia F, Moreno C, Izquierdo MJ, Pastor MA, Carrasco L, Farina MC, Martin L.

Olmsted syndrome: report of a case with study of the cellular proliferation in keratoderma.

Am J Dermatopathol. 2001 Dec;23(6):514-20. Review.

PMID: 11801792

44: Charkoudian N, Eisenach JH, Atkinson JL, Fealey RD, Joyner MJ.

Effects of chronic sympathectomy on locally mediated cutaneous vasodilation in humans.

J Appl Physiol. 2002 Feb;92(2):685-90.

PMID: 11796682

45: Lardinois D, Ris HB.

Minimally invasive video-endoscopic sympathectomy by use of a transaxillary single port approach.

Eur J Cardiothorac Surg. 2002 Jan;21(1):67-70.

PMID: 11788259

46: Tseng MY, Tseng JH.

Thoracoscopic sympathectomy for palmar hyperhidrosis: effects on pulmonary function.

J Clin Neurosci. 2001 Nov;8(6):539-41.

PMID: 11787462

47: Ishibashi S, Yokota T, Inaba A, Yamada M, Mizusawa H, Iwai T, Shiojiri T.

Mexiletine is effective on segmental hyperhidrosis: report of two cases.  
J Neurol Neurosurg Psychiatry. 2002 Jan;72(1):122. No abstract available.  
PMID: 11784840

48: Helmy MA, Ahmed HA, Allam MF.

Thoracoscopic sympathectomy for treatment of hyperhidrosis surgical experience  
and results of 30 cases.

J Egypt Soc Parasitol. 2001 Dec;31(3):835-42.  
PMID: 11775109

49: Nejsum LN, Kwon TH, Jensen UB, Fumagalli O, Frokiaer J, Krane CM, Menon  
AG, King LS, Agre PC, Nielsen S. Related Articles, OMIM

Functional requirement of aquaporin-5 in plasma membranes of sweat glands.  
Proc Natl Acad Sci U S A. 2002 Jan 8;99(1):511-6.  
PMID: 11773623

50: Gooden EA, Gullane PJ, Irish J, Katz M, Carroll C.

Role of the sternocleidomastoid muscle flap preventing Frey's syndrome and  
maintaining facial contour following superficial parotidectomy.

J Otolaryngol. 2001 Apr;30(2):98-101.  
PMID: 11770964

51: Lambert D.

[Dyshidrosis]

Rev Prat. 1998 May 1;48(9):968-70. Review. French.  
PMID: 11767355

52: Birklein F, Schmelz M, Schifter S, Weber M.

The important role of neuropeptides in complex regional pain syndrome.

Neurology. 2001 Dec 26;57(12):2179-84.

PMID: 11756594

53: Vadoud-Seyedi J, Heenen M, Simonart T.

Treatment of idiopathic palmar hyperhidrosis with botulinum toxin. Report of 23 cases and review of the literature.

Dermatology. 2001;203(4):318-21. Review.

PMID: 11752820

54: Kreyden OP, Schmid-Grendelmeier P, Burg G.

Idiopathic localized unilateral hyperhidrosis: case report of successful treatment with botulinum toxin type A and review of the literature.

Arch Dermatol. 2001 Dec;137(12):1622-5. Review.

PMID: 11735712

55: Saadia D, Voustianiouk A, Wang AK, Kaufmann H.

Botulinum toxin type A in primary palmar hyperhidrosis: randomized, single-blind, two-dose study.

Neurology. 2001 Dec 11;57(11):2095-9.

PMID: 11739832

56: Fan YM, Wu ZH, Li SF, Chen QX.

Axillary osmidrosis treated by partial removal of the skin and subcutaneous tissue en bloc and apocrine gland subcision.

Int J Dermatol. 2001 Nov;40(11):714-6.

PMID: 11737439

57: Clark M, Koppel DA.

Re: Isaac AM, Moss CE, Whear NM. Unilateral temporalis muscle hypertrophy managed with botulinum toxin type A. Br J Oral Maxillofac Surg 2000; 38: 571-572. Br J Oral Maxillofac Surg. 2001 Dec;39(6):483. No abstract available.  
PMID: 11735149

58: Vijaikumar M, Thappa DM, Jeevankumar B.

An Indian case of keratoderma hereditarium mutilans (Vohwinkel's syndrome) associated with ichthyosiform dermatosis.  
J Dermatol. 2001 Oct;28(10):560-3.  
PMID: 11732725

59: Kao MC.

Transthoracic endoscopic sympathectomy.  
Surg Endosc. 2001 Nov;15(11):1365. No abstract available.  
PMID: 11727159

60: Riet M, Smet AA, Kuiken H, Kazemier G, Bonjer HJ.

Prevention of compensatory hyperhidrosis after thoracoscopic sympathectomy for hyperhidrosis.  
Surg Endosc. 2001 Oct;15(10):1159-62.  
PMID: 11727092

61: Kao MC.

Video thoracoscopic sympathectomy with intraoperative monitoring of palmar skin temperature for palmar hyperhidrosis.  
Ann Thorac Surg. 2001 Nov;72(5):1801-2. No abstract available.  
PMID: 11722112

62: [No authors listed]

Omeprazole and excessive sweating.

Prescrire Int. 2001 Apr;10(52):51. No abstract available.

PMID: 11718160

63: Faergemann J.

Management of seborrheic dermatitis and pityriasis versicolor.

Am J Clin Dermatol. 2000 Mar-Apr;1(2):75-80.

PMID: 11702314

64: Berglund F, Berglund E.

[Sympathectomy--how much side-effects are acceptable?]

Lakartidningen. 2001 Oct 10;98(41):4494-5. Swedish. No abstract available.

PMID: 11699265

65: Ellies M, Laskawi R, Rohrbach-Volland S, Rodel R, Beuche W.

[Blocking secretion of exocrine glands in the head-neck area by administration of botulinum toxin A. Therapy of a rare disease picture]

HNO. 2001 Oct;49(10):807-13. German.

PMID: 11699140

66: Lee LS, Lin CC, Chung HC, Au CF, Fang HT.

A survey on anesthesia for thoracoscopic sympathectomy in treatment of hyperhidrosis palmaris in Taiwan.

Ann Chir Gynaecol. 2001;90(3):209-11.

PMID: 11695798

67: El-Dawlatly AA, Al-Dohayan A, Samarkandi A, Algahdam F, Atef A.

Right vs left side thoracoscopic sympathectomy: effects of CO2 insufflation on haemodynamics.

Ann Chir Gynaecol. 2001;90(3):206-8.

PMID: 11695797

68: Kopelman D, Bahous H, Assalia A, Hashmonai M.

Upper dorsal thoracoscopic sympathectomy for palmar hyperhidrosis. The use of harmonic scalpel versus diathermy.

Ann Chir Gynaecol. 2001;90(3):203-5.

PMID: 11695796

69: Ueyama T, Matsumoto Y, Abe Y, Yuge O, Iwai T.

Endoscopic thoracic sympathectomy in Japan.

Ann Chir Gynaecol. 2001;90(3):200-2.

PMID: 11695795

70: Neumayer CH, Bischof G, Fugger R, Imhof M, Jakesz R, Plas EG, Herbst FR, Zacherl J.

Efficacy and safety of thoracoscopic sympathectomy for hyperhidrosis of the upper limb. Results of 734 sympathectomies.

Ann Chir Gynaecol. 2001;90(3):195-9.

PMID: 11695794

71: Duarte JB, Kux P.

Efficacy of endoscopic thoracic sympathectomy along with severing the Kuntz nerve in the treatment of chronic non-infectious rhinitis.

Ann Chir Gynaecol. 2001;90(3):189-92.

PMID: 11695792

72: Talaranta T.

Reversal surgery for reducing the side effects of ETS. A case report.

Ann Chir Gynaecol. 2001;90(3):175-6.

PMID: 11695788

73: Cheng YJ, Wu HH, Kao EL.

Video-assisted thoracoscopic sympathetic ramicotomy for hyperhidrosis--a way to reduce the complications.

Ann Chir Gynaecol. 2001;90(3):172-4.

PMID: 11695787

74: Lin CC, Wu HH.

Kuntz's fiber: the scapegoat of surgical failure in sympathetic surgery.

Ann Chir Gynaecol. 2001;90(3):170-1.

PMID: 11695786

75: Lin CC, Wu HH.

Endoscopic t4-sympathetic block by clamping (ESB4) in treatment of hyperhidrosis palmaris et axillaris--experiences of 165 cases.

Ann Chir Gynaecol. 2001;90(3):167-9.

PMID: 11695785

76: Lin CC, Talaranta T.

Lin-Talaranta classification: the importance of different procedures for different indications in sympathetic surgery.

Ann Chir Gynaecol. 2001;90(3):161-6.

PMID: 11695784

77: Swan MC, Paes T.

Quality of life evaluation following endoscopic transthoracic sympathectomy for upper limb and facial hyperhidrosis.

Ann Chir Gynaecol. 2001;90(3):157-9.

PMID: 11695783

78: Chen HJ, Lu K, Liang CL.

Transthoracic endoscopic T-2, 3 sympathectomy for facial hyperhidrosis.

Auton Neurosci. 2001 Oct 8;93(1-2):91-4.

PMID: 11695712

79: Lee IH, Chen HL, Jeng YM, Cheng MT, Tsao LY, Chang MH.

Congenital generalized lipodystrophy in a 4-month-old infant.

J Formos Med Assoc. 2001 Sep;100(9):623-7.

PMID: 11695279

80: Kuttner C, Troger M, Dempf R, Eckardt A.

[Effectiveness of botulinum toxin A in the treatment of gustatory sweating]

Nervenarzt. 2001 Oct;72(10):787-90. German.

PMID: 11688180

81: Niepomniszcz H, Amad RH.

Skin disorders and thyroid diseases.

J Endocrinol Invest. 2001 Sep;24(8):628-38. Review.

PMID: 11686547

82: Tseng MY, Tseng JH.

Endoscopic extraperitoneal lumbar sympathectomy for plantar hyperhidrosis: case report.

J Clin Neurosci. 2001 Nov;8(6):555-6.

PMID: 11683604

83: Rompel R, Scholz S.

Subcutaneous curettage vs. injection of botulinum toxin A for treatment of axillary hyperhidrosis.

J Eur Acad Dermatol Venereol. 2001 May;15(3):207-11.

PMID: 11683282

84: Harth W, Linse R.

Botulinophilia: contraindication for therapy with botulinum toxin.

Int J Clin Pharmacol Ther. 2001 Oct;39(10):460-3.

PMID: 11680671

85: Lin TS, Huang LC, Wang NP, Chang CC.

Endoscopic thoracic sympathetic block by clipping for palmar and axillary hyperhidrosis in children and adolescents.

Pediatr Surg Int. 2001 Sep;17(7):535-7.

PMID: 11666053

86: Hsu CP, Shia SE, Hsia JY, Chuang CY, Chen CY.

Experiences in thoracoscopic sympathectomy for axillary hyperhidrosis and osmidrosis: focusing on the extent of sympathectomy.

Arch Surg. 2001 Oct;136(10):1115-7.

PMID: 11585501

87: Amin MA, Bailey BM, Patel SR.

Clinical and radiological evidence to support superficial parotidectomy as the treatment of choice for chronic parotid sialadenitis: a retrospective study.

Br J Oral Maxillofac Surg. 2001 Oct;39(5):348-52.

PMID: 11601814

88: Figarella I, Trechot P, Girard F, Barbaud A, Aliot E, Schmutz JL.

[Prevalence of hyperhidrosis in a population treated by beta-blocker]

Ann Dermatol Venereol. 2001 Sep;128(8-9):877-81. French.

PMID: 11590337

89: [No authors listed]

I sweat excessively, even when the weather is cool and I'm just spending a quiet day indoors. What can I do?

Mayo Clin Health Lett. 2001 Oct;19(10):8. No abstract available.

PMID: 11577575

90: Melander S.

[Negative sweating]

Lakartidningen. 2001 Aug 22;98(34):3589. Swedish. No abstract available.

PMID: 11571806

91: Fujita M, Mann T, Mann O, Berg D.

Surgical pearl: use of nerve blocks for botulinum toxin treatment of palmar-plantar hyperhidrosis.

J Am Acad Dermatol. 2001 Oct;45(4):587-9. No abstract available.

PMID: 11568751

92: Lin TS.

Video-assisted thoracoscopic "resympathicotomy" for palmar hyperhidrosis: analysis of 42 cases.

Ann Thorac Surg. 2001 Sep;72(3):895-8.

PMID: 11565677

93: Park YJ, Shin MS.

What is the best method for treating osmidrosis?

Ann Plast Surg. 2001 Sep;47(3):303-9.

PMID: 11562036

94: Borrego L, Lopez-Estebanz JL, Vicente J, Sols M, Pinedo F.

Focal recurrent episodic hyperhidrosis on the forearm.

Arch Dermatol. 2001 Sep;137(9):1241-6. No abstract available.

PMID: 11559227

95: Naumann M, Lowe NJ. Related Articles, Free in PMC

Botulinum toxin type A in treatment of bilateral primary axillary hyperhidrosis:  
randomised, parallel group, double blind, placebo controlled trial.

BMJ. 2001 Sep 15;323(7313):596-9.

PMID: 11557704

96: Swartling C, Farnstrand C, Abt G, Stalberg E, Naver H.

Side-effects of intradermal injections of botulinum A toxin in the treatment of  
palmar hyperhidrosis: a neurophysiological study.

Eur J Neurol. 2001 Sep;8(5):451-6.

PMID: 11554908

97: Hachisuka K, Nakamura T, Ohmine S, Shitama H, Shinkoda K.

Hygiene problems of residual limb and silicone liners in transtibial amputees  
wearing the total surface bearing socket.

Arch Phys Med Rehabil. 2001 Sep;82(9):1286-90.

PMID: 11552206

98: Kao MC.

Needlescopic surgery for palmar hyperhidrosis.

J Thorac Cardiovasc Surg. 2001 Sep;122(3):633-4. No abstract available.

PMID: 11547332

99: Moraru E, Voller B, Auff E, Schnider P.

Dose thresholds and local anhidrotic effect of botulinum A toxin injections (Dysport).

Br J Dermatol. 2001 Aug;145(2):368. No abstract available.

PMID: 11531822

100: Bovell DL, Clunes MT, Elder HY, Milsom J, Jenkinson DM.

Ultrastructure of the hyperhidrotic eccrine sweat gland.

Br J Dermatol. 2001 Aug;145(2):298-301.

PMID: 11531796

101: Schnider P, Moraru E, Kittler H, Binder M, Kranz G, Voller B, Auff E.

Treatment of focal hyperhidrosis with botulinum toxin type A: long-term follow-up in 61 patients.

Br J Dermatol. 2001 Aug;145(2):289-93.

PMID: 11531794

102: Laskawi R, Rohrbach S.

Treatment of gustatory sweating with botulinum toxin: special aspects.

ORL J Otorhinolaryngol Relat Spec. 2001 Sep-Oct;63(5):294-7.

PMID: 11528273

103: Finsterer J, Stollberger C, Wanschitz J, Jaksch M, Budka H.

Nail-patella syndrome associated with respiratory chain disorder.

Eur Neurol. 2001;46(2):92-5.

PMID: 11528158

104: Vallieres E.

Endoscopic upper thoracic sympathectomy.

Neurosurg Clin N Am. 2001 Apr;12(2):321-7.

PMID: 11525210

105: Wang YC, Wei SH, Sun MH, Lin CW.

A new mode of percutaneous upper thoracic phenol sympathicolysis: report of 50 cases.

Neurosurgery. 2001 Sep;49(3):628-34; discussion 634-6.

PMID: 11523673

106: Rabow L.

[Surgery of excessive hand sweating in the past and now]

Lakartidningen. 2001 Jul 25;98(30-31):3356. Swedish. No abstract available.

PMID: 11521345

107: Kao MC.

Technical notes on thoracic sympathectomy for essential hyperhidrosis.

Ann Thorac Surg. 2001 Aug;72(2):667-8. No abstract available.

PMID: 11515936

108: Kim BY, Oh BS, Park YK, Jang WC, Suh HJ, Im YH.

Microinvasive video-assisted thoracoscopic sympathicotomy for primary palmar hyperhidrosis.

Am J Surg. 2001 Jun;181(6):540-2.

PMID: 11513781

109: [No authors listed]

Iontophoresis.

Tecnologica MAP Suppl. 2000 Dec;:7-9. No abstract available.

PMID: 11503771

110: Allen GM.

Thoracoscopic sympathectomy for palmar hyperhidrosis.

AORN J. 2001 Aug;74(2):178-82, 185-6, 188; quiz 189-91, 193-4. Review.

PMID: 11503199

111: Zagorski Z, Biziorek B, Rakowska E, Jedrzejewski D.

[Zinsser-Engman-Cole syndrome (dyskeratosis congenita) with severe sicca syndrome, panuveitis and corneal perforation--a case report]

Klin Monatsbl Augenheilkd. 2001 Jun;218(6):455-8. German.

PMID: 11488014

112: Filosto M, Bertolasi L, Fincati E, Priori A, Tomelleri G, Chierogato G, Rizzuto N.

Axillary injection of botulinum A toxin in a patient with muscle cramps associated with severe axillary hyperhidrosis.

Acta Neurol Belg. 2001 Jun;101(2):121-3. Review.

PMID: 11486559

113: Kao MC.

Thoracoscopic sympathectomy for craniofacial hyperhidrosis.  
Eur J Cardiothorac Surg. 2001 Jun;19(6):951-2. No abstract available.  
PMID: 11482300

114: Richardson C, Kelly DL, Conley RR.

Biperiden for excessive sweating from clozapine.  
Am J Psychiatry. 2001 Aug;158(8):1329-30. No abstract available.  
PMID: 11481174

115: Klein AW.

Complications and adverse reactions with the use of botulinum toxin.  
Semin Cutan Med Surg. 2001 Jun;20(2):109-20. Review.  
PMID: 11474743

116: Glogau RG.

Treatment of palmar hyperhidrosis with botulinum toxin.  
Semin Cutan Med Surg. 2001 Jun;20(2):101-8. Review.  
PMID: 11474742

117: Hasan W, Cowen T, Barnett PS, Elliot E, Coskeran P, Bouloux PM.

The sweating apparatus in growth hormone deficiency, following treatment with r-hGH and in acromegaly.  
Auton Neurosci. 2001 Jun 20;89(1-2):100-9.  
PMID: 11474638

118: Chen HJ, Liang CL, Lu K.

Associated change in plantar temperature and sweating after transthoracic endoscopic T2-3 sympathectomy for palmar hyperhidrosis.

J Neurosurg. 2001 Jul;95(1 Suppl):58-63.

PMID: 11453433

119: Naruse H, Moriyasu K, Yokokawa H, Ohkura T, Kamio Y, Suzuki K, Suzuki S, Kitami A, Tanaka H, Suzuki T.

[Endoscopic transthoracic sympathectomy (ETS) with a fine 2-mm thoracoscope in palmar hyperhidrosis]

Kyobu Geka. 2001 Jul;54(7):555-9. Japanese.

PMID: 11452523

120: Reche Frutos M, Garcia Ara MC, Boyano T, Diaz Pena JM.

Syndrome auriculotemporal.

Allergol Immunopathol (Madr). 2001 Jan-Feb;29(1):33-4. Review.

PMID: 11449534

121: Grimalt R, Moreno-Arias GA, Ferrando J.

Multi-injection plate for botulinum toxin application in the treatment of axillary hyperhidrosis.

Dermatol Surg. 2001 Jun;27(6):543-4. No abstract available.

PMID: 11442589

122: Lau WT, Lee JD, Dang CR, Lee L.

Improvement in quality of life after bilateral transthoracic endoscopic sympathectomy for palmar hyperhidrosis.

Hawaii Med J. 2001 May;60(5):126, 137.

PMID: 11432050

123: Goldstein N.

Severe palmar hyperhidrosis treated by transthoracic endoscopic sympathectomy.  
Hawaii Med J. 2001 May;60(5):122, 129, 135. No abstract available.  
PMID: 11432048

124: Birklein F, Kunzel W, Sieweke N.

Despite clinical similarities there are significant differences between acute limb trauma and complex regional pain syndrome I (CRPS I).  
Pain. 2001 Aug;93(2):165-71.  
PMID: 11427328

125: Moller H.

Intact nerve supply for eczema.  
Br J Dermatol. 2001 Jun;144(6):1270-1. No abstract available.  
PMID: 11422060

126: Whatling PJ, Collin J.

Botulinum toxin injection is an effective treatment for axillary hyperhidrosis.  
Br J Surg. 2001 Jun;88(6):814-5. No abstract available.  
PMID: 11412250

127: Kao MC.

Monitoring of palmer skin temperature in thoracoscopic sympathectomy.  
Eur J Cardiothorac Surg. 2001 Apr;19(4):545-6. No abstract available.  
PMID: 11394357

128: Kuo CH, Tan PH, Chen JJ, Peng CH, Lee CC, Chung HC, Tseng CK.

Prolonged paralysis associated with succinylcholine--a case report.  
Acta Anaesthesiol Sin. 2000 Dec;38(4):229-32.  
PMID: 11392072

129: Clayman MA, Clayman LZ.

Use of AlloDerm as a barrier to treat chronic Frey's syndrome.

Otolaryngol Head Neck Surg. 2001 Jun;124(6):687. No abstract available.

PMID: 11391262

130: Harth W, Linse R.

[Botulinophilia. The new life style venenophilia]

Hautarzt. 2001 Apr;52(4):312-5. German.

PMID: 11382121

131: Smith CD.

A hypothalamic stroke producing recurrent hemihyperhidrosis.

Neurology. 2001 May 22;56(10):1394-6.

PMID: 11376196

132: Drott C, Claes G, Rex L, Dalman P, Gothberg G, Fahlen T.

[Long-term effects after surgery for hand sweating and facial blushing. Patients are satisfied in spite of troublesome side-effects]

Lakartidningen. 2001 Apr 11;98(15):1766-72. Swedish.

PMID: 11374002

133: Raf L.

[Postoperative complications are frequent after surgery for palmar sweating and facial redness. Effects of the treatment must be considered with regard to the risk of side-effects]

Lakartidningen. 2001 Apr 11;98(15):1764-5. Swedish. No abstract available.

PMID: 11374001

134: Kuttner C, Berens A, Troger M, Keil C, Eckardt A.

[Frey syndrome after lateral parotidectomy. Follow-up and therapeutic outlook]  
Mund Kiefer Gesichtschir. 2001 Mar;5(2):144-9. German.  
PMID: 11372182

135: Stadler P, Sebesta P.

[Thoracoscopic thoracic sympathectomy--personal experience]  
Rozhl Chir. 2001 Mar;80(3):107-9. Czech.  
PMID: 11367606

136: Tsai RY, Lin JY.

Experience of tumescent liposuction in the treatment of osmidrosis.  
Dermatol Surg. 2001 May;27(5):446-8.  
PMID: 11359491

137: Stouthamer A, Nieboer C, Van Der Waal RI, Jonkman MF.

Normal expression of the 19-DEJ-1 epitope in two siblings with late-onset  
junctional epidermolysis bullosa.  
Br J Dermatol. 2001 May;144(5):1054-7.  
PMID: 11359397

138: Munoz-Perez MA, Mazuecos J, Ortega M, Camacho F.

Guess what! Unilateral anhidrosis: first clinical manifestation of bronchial  
carcinoma.  
Eur J Dermatol. 2001 May-Jun;11(3):257-8. No abstract available.  
PMID: 11358738

139: Lee HJ, Ha SJ, Ahn WK, Kim D, Park YM, Byun DG, Kim JW.

Clinical evaluation of atopic hand-foot dermatitis.

Pediatr Dermatol. 2001 Mar-Apr;18(2):102-6.

PMID: 11358546

140: Sethuraman G, Handa S, Singh P, Ghosh D, Kumar B.

Spinal dysraphism presenting as acro-osteolysis: report of four cases.

Pediatr Dermatol. 2001 Mar-Apr;18(2):97-101.

PMID: 11358545

141: Fukushima H, Makimura S, Takae H, Yao Y, Ishimaru S.

[Endoscopic thoracic sympathectomy for palmar, axillary and plantar hyperhidrosis: intermediate-term results]

Kyobu Geka. 2001 May;54(5):379-83. Japanese.

PMID: 11357300

142: Naumann M.

Evidence-based medicine: botulinum toxin in focal hyperhidrosis.

J Neurol. 2001 Apr;248 Suppl 1:31-3. Review.

PMID: 11357238

143: Hashmonai M, Assalia A, Kopelman D.

Thoracoscopic sympathectomy for palmar hyperhidrosis. Ablate or resect?

Surg Endosc. 2001 May;15(5):435-41. Review.

PMID: 11353955

144: Raposio E, Filippi F, Renzi M, Caregnato P, Capello C, Santi PL.

[Minimally-invasive endoscopic transthoracic sympathectomy of the upper limbs. A new method]

Minerva Chir. 2001 Apr;56(2):193-7. Italian.

PMID: 11353353

145: Lai CL, Chen WJ, Liu YB, Lee YT.

Bradycardia and permanent pacing after bilateral thoracoscopic T2-sympathectomy for primary hyperhidrosis.

Pacing Clin Electrophysiol. 2001 Apr;24(4 Pt 1):524-5.

PMID: 11341096

146: Garcia-Martos P, Ruiz-Henestrosa JR, Perez-Requena J, Marin P, Mira J, Calap J.

[Hyperhidrosis and multiple nodules in the hairs of the axilla]

Enferm Infecc Microbiol Clin. 2001 Apr;19(4):177-8. Spanish. No abstract available.

PMID: 11333605

147: Kondo M, Mezaki T, Higuchi K, Watanabe Y, Kuzuhara S.

[Changes of autonomic functions by endoscopic upper thoracic sympathectomy on idiopathic hyperhidrosis]

Rinsho Shinkeigaku. 2000 Nov;40(11):1069-75. Japanese.

PMID: 11332185

148: Ng WT.

Thoracoscopic sympathectomy.

Surg Laparosc Endosc Percutan Tech. 2001 Apr;11(2):152; discussion 153. No abstract available.

PMID: 11330386

149: Kao MC.

Thoracoscopic sympathectomy.

Surg Laparosc Endosc Percutan Tech. 2001 Apr;11(2):152-3. No abstract available.

PMID: 11330385

150: Yu GY.

Superficial parotidectomy through retrograde facial nerve dissection.

J R Coll Surg Edinb. 2001 Apr;46(2):104-7. No abstract available.

PMID: 11329736

151: Swartling C, Naver H, Lindberg M.

Botulinum A toxin improves life quality in severe primary focal hyperhidrosis.

Eur J Neurol. 2001 May;8(3):247-52.

PMID: 11328333

152: Lin TS, Huang LC, Wang NP, Lai CY.

Video-assisted thoracoscopic T2 sympathetic block by clipping for palmar hyperhidrosis: analysis of 52 cases.

J Laparoendosc Adv Surg Tech A. 2001 Apr;11(2):59-62.

PMID: 11327127

153: Kao MC.

"Operative monitoring of hand and axillary temperature during endoscopic superior thoracic sympathectomy for the treatment of palmar hyperhidrosis".

Eur J Surg. 2001 Mar;167(3):237-8. No abstract available.

PMID: 11316416

154: Fischer M, Gemende I, Marsch WC, Fischer PA.

Skin function and skin disorders in Parkinson's disease.

J Neural Transm. 2001;108(2):205-13.

PMID: 11314773

155: Gossot D, Kabiri H, Caliandro R, Debrosse D, Girard P, Grunenwald D.

Early complications of thoracic endoscopic sympathectomy: a prospective study of 940 procedures.

Ann Thorac Surg. 2001 Apr;71(4):1116-9.

PMID: 11308146

156: Nomoto N, Araki Y, Fujioka T, Kurihara T, Wakata N.

[A thyrotoxic myopathy accompanied with unusual muscle symptoms and MRI muscle findings]

No To Shinkei. 2001 Mar;53(3):271-4. Japanese.

PMID: 11296402

157: Kao MC.

Transthoracic endoscopic sympathectomy.

Surg Endosc. 2001 Feb;15(2):222. No abstract available.

PMID: 11285974

158: Lin TS.

Endoscopic clipping in video-assisted thoracoscopic sympathetic blockade for axillary hyperhidrosis. An analysis of 26 cases.

Surg Endosc. 2001 Feb;15(2):126-8.

PMID: 11285952

159: Breit S, Heckmann M.

[Therapeutic strategies in hyperhidrosis]

Med Monatsschr Pharm. 2001 Mar;24(3):78-82. Review. German. No abstract available.

PMID: 11284081

160: Hache C.

[Is there a contraindication to copper intra-uterine devices in patients with hand hyperhidrosis?]

Ann Dermatol Venereol. 2001 Feb;128(2):182. French. No abstract available.

PMID: 11275606

161: Wasylik K, Kim JC, Amedee RG.

Pleomorphic adenoma.

J La State Med Soc. 2001 Jan;153(1):12-6. Review.

PMID: 11272444

162: Bremerich A, Eufinger H, Rustemeyer J, Schaus M.

[Frey syndrome]

Mund Kiefer Gesichtschir. 2001 Jan;5(1):33-6. German.

PMID: 11272385

163: Kao MC.

Microinvasive transaxillary thoracoscopic sympathectomy: technical note.

Neurosurgery. 2001 Mar;48(3):702. No abstract available.

PMID: 11270568

164: Lu K, Liang CL, Cho CL, Cheng CH, Yen HL, Rau CS, Tsai YD, Chen HJ, Lee TC.

Patterns of palmar skin temperature alterations during transthoracic endoscopic T2 sympathectomy for palmar hyperhidrosis.

Auton Neurosci. 2000 Dec 28;86(1-2):99-106.

PMID: 11269931

165: Vollert B, Blaheta HJ, Moehrle E, Juenger M, Rassner G.

Intravenous regional anaesthesia for treatment of palmar hyperhidrosis with botulinum toxin type A.

Br J Dermatol. 2001 Mar;144(3):632-3. No abstract available.

PMID: 11260034

166: Wohlrab J, Marsch WC.

[Indications and results of video thoracoscopic sympathectomy]

Dtsch Med Wochenschr. 2001 Feb 23;126(8):224. German. No abstract available.

PMID: 11256032

167: Tugnoli V, Marchese Ragona R, Eleopra R, De Grandis D, Montecucco C.

Treatment of Frey syndrome with botulinum toxin type F.

Arch Otolaryngol Head Neck Surg. 2001 Mar;127(3):339-40. No abstract available.

PMID: 11255487

168: de Haan J, Mackaay AJ, Cuesta MA, Rauwerda JA.

Posterior approach for the simultaneous, bilateral thoracoscopic sympathectomy.

J Am Coll Surg. 2001 Mar;192(3):418-20.

PMID: 11245387

169: de Almeida AR, Kadunc BV, de Oliveira EM.

Improving botulinum toxin therapy for palmar hyperhidrosis: wrist block and technical considerations.

Dermatol Surg. 2001 Jan;27(1):34-6.

PMID: 11231239

170: Kao MC.

Irritant contact dermatitis of the hands following thoracic sympathectomy.

Contact Dermatitis. 2001 Mar;44(3):200. No abstract available.

PMID: 11218010

171: Kao MC.

Transthoracic endoscopic sympathectomy.

Surg Neurol. 2000 Jul;54(1):96-7. No abstract available.

PMID: 11203125

172: de Berker D.

Treating hyperhidrosis. Treatment options must be balanced against each other.

BMJ. 2000 Sep 16;321(7262):703. No abstract available.

PMID: 11202934

173: Klaber M, Catterall M.

Treating hyperhidrosis. Anticholinergic drugs were not mentioned.

BMJ. 2000 Sep 16;321(7262):703. No abstract available.

PMID: 11202933

174: Atkins JL, Butler PE.

Treating hyperhidrosis. Excision of axillary tissue may be more effective.

BMJ. 2000 Sep 16;321(7262):702; discussion 703. No abstract available.

PMID: 11202932

175: Murphy R, Harrington Cl.

Treating hyperhidrosis. Iontophoresis should be tried before other treatments.

BMJ. 2000 Sep 16;321(7262):702-3. No abstract available.

PMID: 11202931

176: Kopelman D, Assalia A, Ehrenreich M, Ben-Amnon Y, Bahous H, Hashmonai M.

The effect of upper dorsal thoracoscopic sympathectomy on the total amount of body perspiration.

Surg Today. 2000;30(12):1089-92.

PMID: 11193740

177: Heckmann M, Schaller M, Breit S, Plewig G.

Evaluation of therapeutic success of hyperhidrosis therapy.

Arch Dermatol. 2001 Jan;137(1):94. No abstract available.

PMID: 11176672

178: Moreno-Arias GA, Grimalt R, Llusà M, Cadavid J, Otal C, Ferrando J.

Frey's syndrome.

J Pediatr. 2001 Feb;138(2):294. No abstract available.

PMID: 11174637

179: Gossot D, Debrosse D, Grunenwald D.

[Endoscopic thoracic sympathectomy for isolated axillary hyperhidrosis]

Ann Dermatol Venereol. 2000 Dec;127(12):1065-7. French.

PMID: 11173680

180: Nicolas C, Grosdidier G, Granel F, Barbaud A, Schmutz JL.

[Endoscopic sympathectomy for palmar and plantar hyperhidrosis: results in 107 patients]

Ann Dermatol Venereol. 2000 Dec;127(12):1057-63. French.

PMID: 11173679

181: Dumont P.

[Hyperhidrosis: role of surgical treatment]

Ann Dermatol Venereol. 2000 Dec;127(12):1053-4. French. No abstract available.

PMID: 11173677

182: Heckmann M, Ceballos-Baumann AO, Plewig G.

Botulinum toxin A for axillary hyperhidrosis (excessive sweating).

N Engl J Med. 2001 Feb 15;344(7):488-93.

PMID: 11172190

183: Braune C, Erbguth F, Birklein F.

Dose thresholds and duration of the local anhidrotic effect of botulinum toxin injections: measured by sudometry.

Br J Dermatol. 2001 Jan;144(1):111-7.

PMID: 11167691

184: Freudenreich O, Murray GB.

Anxiety and position-dependent neurologic findings due to autonomic dysreflexia.

Psychosomatics. 2001 Jan-Feb;42(1):81-2. No abstract available.

PMID: 11161127

185: Klein CJ, Silber MH, Halliwill JR, Schreiner SA, Suarez GA, Low PA.

Basal forebrain malformation with hyperhidrosis and hypothermia: variant of Shapiro's syndrome.

Neurology. 2001 Jan 23;56(2):254-6.

PMID: 11160966

186: Wollina U.

[Essential hyperhidrosis]

Dtsch Med Wochenschr. 2000 Mar 10;125(10):290. Review. German. No abstract available.

PMID: 10755853

187: Hashmonai M, Kopelman D, Assalia A.

The treatment of primary palmar hyperhidrosis: a review.

Surg Today. 2000;30(3):211-8. Review.

PMID: 10752771

188: Carruthers A.

Update on Botulinum Toxin.

Skin Therapy Lett. 1999;4(5):1-2.

PMID: 10751835 [PubMed - as supplied by publisher]

189: Bolotin G, Lazarovici H, Uretzky G, Zlotnick AY, Tamir A, Saute M.

The efficacy of intraoperative internal intercostal nerve block during video-assisted thoracic surgery on postoperative pain.

Ann Thorac Surg. 2000 Dec;70(6):1872-5.

PMID: 11156086

190: Kreyden OP, Geiges ML, Boni R, Burg G.

[Botulinum toxin: from poison to drug. A historical review]

Hautarzt. 2000 Oct;51(10):733-7. German.

PMID: 11153358

191: Lan CJ, Luk HN, Wu CT, Chang WK, Tsou MY, Lui PW, Lee TY.

Bilateral pulmonary edema after endoscopic sympathectomy in a patient with glucose-6-phosphate dehydrogenase deficiency.

Acta Anaesthesiol Scand. 2001 Jan;45(1):123-6.

PMID: 11152024

192: Boger A, Herath H, Rompel R, Ferbert A.

Botulinum toxin for treatment of craniofacial hyperhidrosis.

J Neurol. 2000 Nov;247(11):857-61.

PMID: 11151418

193: Weight CS, Raitt D, Barrie WW.

Thoracoscopic sympathectomy: a one-port technique.

Aust N Z J Surg. 2000 Nov;70(11):800.

PMID: 11147441

194: Ingordo V, Fracchiolla S, Figliola F, D'Andria G, Colecchia B, Naldi L.

Prevalence and awareness of tinea pedis in Italian sailors.

Dermatology. 2000;201(4):349-50.

PMID: 11146348

195: Lowenthal RM, Taylor BV, Tan BS.

Cold sweats.

Lancet. 2000 Dec 16;356(9247):2064. No abstract available.

PMID: 11145493

196: Marchal F, Sacoun A, Pieyre JM.

[Advantage of lifting in parotidectomy]

Schweiz Med Wochenschr. 2000;Suppl 125:116S-121S. French.

PMID: 11141924

197: Bischofberger A, Linder T, Melik N, Schmid S.

[Indications and effects of the SMAS in parotid surgery]

Schweiz Med Wochenschr. 2000;Suppl 125:112S-115S. German.

PMID: 11141923

198: Cavalot AL, Palonta F, Preti G, Nazionale G, Ricci E, Staffieri A, Di Girolamo S, Cortesina G.

[Post-parotidectomy Frey's syndrome. Treatment with botulinum toxin type A]

Acta Otorhinolaryngol Ital. 2000 Jun;20(3):187-91. Italian.

PMID: 11139877

199: von Lindern JJ, Niederhagen B, Berge S, Reich RH.

Treatment of Frey's syndrome with type A botulinum toxin: case report.

J Oral Maxillofac Surg. 2000 Dec;58(12):1411-4. No abstract available.

PMID: 11117691

200: Breit S, Heckmann M.

[Botulinum toxin. A neurotoxin for dermatologic therapy]

Hautarzt. 2000 Nov;51(11):874-91. German. No abstract available.

PMID: 11116855

201: Schnider P, Moraru E, Kittler H, Voller B, Auff E.

High-dose botulinum toxin type A for axillary hyperhidrosis.

Arch Dermatol. 2000 Dec;136(12):1567. No abstract available.

PMID: 11115179

202: Sneppen SB, Main KM, Juul A, Pedersen LM, Kristensen LO, Skakkebaek NE, Feldt-Rasmussen U.

Sweat secretion rates in growth hormone disorders.

Clin Endocrinol (Oxf). 2000 Nov;53(5):601-8.

PMID: 11106921

203: Krause R, Schnider P, Warnkross H, Reisinger EC.

Episodic hyperhidrosis after a journey to southeast Asia.

Eur Neurol. 2000;44(4):250. No abstract available.

PMID: 11096227

204: Moody AB, Avery CM, Walsh S, Sneddon K, Langdon JD.

Surgical management of chronic parotid disease.

Br J Oral Maxillofac Surg. 2000 Dec;38(6):620-622. Review.

PMID: 11092780

205: Takeshita T, Takeshita H, Irie K.

Eruptive vellus hair cyst and epidermoid cyst in a patient with pachyonychia congenita.

J Dermatol. 2000 Oct;27(10):655-7.

PMID: 11092270

206: Rodriguez-Serna M, Mari JI, Aliaga A.

What syndrome is this? Auriculotemporal nerve (Frey) syndrome.

Pediatr Dermatol. 2000 Sep-Oct;17(5):415-6. No abstract available.

PMID: 11085676

207: Kao MC.

Endoscopic thoracic sympathectomy (ETS) is a simple, safe, and effective method for treating palmar hyperhidrosis.

Surg Laparosc Endosc Percutan Tech. 2000 Oct;10(5):338-9. No abstract

available.

PMID: 11083223

208: Krasna MJ, Jiao X, Sonett J, Gamliel Z, King K.

Thoracoscopic sympathectomy.

Surg Laparosc Endosc Percutan Tech. 2000 Oct;10(5):314-8.

PMID: 11083216

209: Dunn DG.

Chronic regional pain syndrome, type 1: Part II.

AORN J. 2000 Oct;72(4):643-51, 653; quiz 654, 656-8, 661-2. Review.

PMID: 11076283

210: Lin TS, Fang HY.

Transthoracic endoscopic sympathectomy for craniofacial hyperhidrosis: analysis of 46 cases.

J Laparoendosc Adv Surg Tech A. 2000 Oct;10(5):243-7.

PMID: 11071402

211: Nakatsuji Y, Kaido M, Sugai F, Nakamori M, Abe K, Watanabe O, Arimura K, Sakoda S.

Isaacs' syndrome successfully treated by immunoabsorption plasmapheresis.

Acta Neurol Scand. 2000 Oct;102(4):271-3.

PMID: 11071114

212: Kinkelin I, Hund M, Naumann M, Hamm H.

Effective treatment of frontal hyperhidrosis with botulinum toxin A.

Br J Dermatol. 2000 Oct;143(4):824-7.

PMID: 11069464

213: Deaner PB.

The use of thalidomide in the management of severe sweating in patients with advanced malignancy: trial report.

Palliat Med. 2000 Sep;14(5):429-31. No abstract available.

PMID: 11064791

214: Maeda A, Yamanouchi H, Lee JB, Katayama I.

Oral prednisolone improved acetylcholine-induced sweating in Sjogren's syndrome-related anhidrosis.

Clin Rheumatol. 2000;19(5):396-7. No abstract available.

PMID: 11055832

215: Vadoud-Seyedi J, Simonart T, Heenen M.

Treatment of plantar hyperhidrosis with dermojet injections of botulinum toxin.

Dermatology. 2000;201(2):179. No abstract available.

PMID: 11053929

216: de Almeida HL Jr, de Castro LA, Rocha NE, Abrantes VL.

Ultrastructure of pitted keratolysis.

Int J Dermatol. 2000 Sep;39(9):698-701. No abstract available.

PMID: 11044196

217: von Lindern JJ, Niederhagen B, Berge S, Hagler G, Reich RH.

Frey syndrome: treatment with type A botulinum toxin.

Cancer. 2000 Oct 15;89(8):1659-63.

PMID: 11042557

218: Bouadjar B, Benmazouzia S, Prud'homme JF, Cure S, Fischer J.

Clinical and genetic studies of 3 large, consanguineous, Algerian families with Mal de Meleda.

Arch Dermatol. 2000 Oct;136(10):1247-52.

PMID: 11030771

219: Honda M, Uesugi K, Yamazaki H, Dezawa A, Mizuguchi K, Yamaji T, Ishibashi M.

Malignant pheochromocytoma lacking clinical features of catecholamine excess until the late stage.

Intern Med. 2000 Oct;39(10):820-5.

PMID: 11030207

220: Manca D, Valls-Sole J, Callejas MA.

Excitability recovery curve of the sympathetic skin response in healthy volunteers and patients with palmar hyperhidrosis.

Clin Neurophysiol. 2000 Oct;111(10):1767-70.

PMID: 11018490

221: Kao MC.

Endoscopic sympathectomy.

J Neurosurg. 2000 Oct;93(2 Suppl):342-3. No abstract available.

PMID: 11012078

222: Lio S, Cibirin M, Marcello R, Viviani MA, Ajello L.

Adrenal bilateral incidentaloma by reactivated histoplasmosis.

J Endocrinol Invest. 2000 Jul-Aug;23(7):476-9.

PMID: 11005274

223: Bell MS, Vermeulen LC, Sperling KB.

Pharmacotherapy with botulinum toxin: harnessing nature's most potent neurotoxin.

Pharmacotherapy. 2000 Sep;20(9):1079-91. Review.

PMID: 10999501

224: Ervasti O, Hassi J, Rintamaki H, Virokannas H, Kettunen P, Pramila S, Linna T, Tolonen U, Manelius J.

Sequelae of moderate finger frostbite as assessed by subjective sensations, clinical signs, and thermophysiological responses.

Int J Circumpolar Health. 2000 Apr;59(2):137-45.

PMID: 10998831

225: Lorette G, Vaillant L, Grangeponne MC, MacHet L, Rouesnel-Chantry S.

Localized paroxysmal hyperhidrosis.

Pediatr Dermatol. 2000 Jul-Aug;17(4):328-9. No abstract available.

PMID: 10990589

226: Noppen M, De Waele M, Li R, Gucht KV, D'Haese J, Gerlo E, Vincken W.

Volume and cellular content of normal pleural fluid in humans examined by pleural lavage.

Am J Respir Crit Care Med. 2000 Sep;162(3 Pt 1):1023-6.

PMID: 10988124

227: Ellis E 3rd, McFadden D, Simon P, Throckmorton G.

Surgical complications with open treatment of mandibular condylar process fractures.

J Oral Maxillofac Surg. 2000 Sep;58(9):950-8.

PMID: 10981974

228: Neshar N, Galili R, Sharony R, Uretzky G, Saute M.

[Videothoroscopic sympathectomy (VATS) for palmar hyperhidrosis:summary of a clinical trial and surgical results]

Harefuah. 2000 Jun 1;138(11):913-6, 1008. Hebrew.

PMID: 10979397

229: Sood S, Bradley PJ.

Parotid surgery and Frey syndrome.

Arch Otolaryngol Head Neck Surg. 2000 Sep;126(9):1168. No abstract available.

PMID: 10979140

230: Arshad AR.

Parotid swellings: report of 110 consecutive cases.

Med J Malaysia. 1998 Dec;53(4):417-22.

PMID: 10971987

231: Kreyden OP, Burg G.

[Toxin treatment of sweat pearls. A review of the treatment of hyperhidrosis with a special view of a new therapy option using botulinum toxin A]

Schweiz Med Wochenschr. 2000 Jul 25;130(29-30):1084-90. Review. German.

PMID: 10971942

232: Chowdhury MM, Hedges R, Lanigan SW.

Unilateral resolution of palmar eczema and hyperhidrosis complicated by Horner's syndrome following ipsilateral endoscopic cervical sympathectomy.

Br J Dermatol. 2000 Sep;143(3):653-4. No abstract available.

PMID: 10971352

233: Bovell DL, Clunes MT, Elder HY, Wong CH, Ko WH.

Nucleotide-evoked ion transport and  $[Ca^{2+}]_i$  changes in normal and hyperhidrotic human sweat gland cells.

Eur J Pharmacol. 2000 Sep 1;403(1-2):45-8.

PMID: 10969142

234: Birner P, Heinzl H, Schindl M, Pumprla J, Schnider P.

Cardiac autonomic function in patients suffering from primary focal hyperhidrosis.

Eur Neurol. 2000;44(2):112-6.

PMID: 10965164

235: Ueno M, Tokunaga Y, Terachi S, Gondo K, Hara T.

Asymmetric sweating in a child with multiple sclerosis.

Pediatr Neurol. 2000 Jul;23(1):74-6.

PMID: 10963976

236: Fredman B, Zohar E, Shachor D, Bendahan J, Jedeikin R.

Video-assisted transthoracic sympathectomy in the treatment of primary hyperhidrosis: friend or foe?

Surg Laparosc Endosc Percutan Tech. 2000 Aug;10(4):226-9.

PMID: 10961751

237: Achenbach RK.

[When sweating impairs life style. How your patients can become "dry". Interview by Petra Eiden.]

MMW Fortschr Med. 2000 Jul 20;142(28-29):14. German. No abstract available.

PMID: 10959154

238: Lowes MA, Khaira GS, Holt D.

Transient reactive papulotranslucent acrokeratoderma associated with cystic fibrosis.

Australas J Dermatol. 2000 Aug;41(3):172-4.

PMID: 10954989

239: Goldman A.

Treatment of axillary and palmar hyperhidrosis with botulinum toxin.

Aesthetic Plast Surg. 2000 Jul-Aug;24(4):280-2.

PMID: 10954791

240: Park S.

Very superficial ultrasound-assisted lipoplasty for the treatment of axillary osmidrosis.

Aesthetic Plast Surg. 2000 Jul-Aug;24(4):275-9.

PMID: 10954790

241: Wollina U, Konrad H, Graefe T, Thiele J.

Botulinum toxin A for focal hyperhidrosis in leg amputees: a case report.

Acta Derm Venereol. 2000 May;80(3):226-7. No abstract available.

PMID: 10954228

242: de Louw AJ, van Nieuwenhoven CA, de Krom MC, Troost J.

Neuroimages: local hyperhidrosis of the left forearm.

Neurology. 2000 Aug 22;55(4):526. No abstract available.

PMID: 10953185

243: Wiklund U, Koskinen LO, Niklasson U, Bjerle P, Elfversson J.

Endoscopic transthoracic sympathectomy affects the autonomic modulation of heart rate in patients with palmar hyperhidrosis.

Acta Neurochir (Wien). 2000;142(6):691-6.

PMID: 10949445

244: Mahant N, Clouston PD, Lorentz IT.

The current use of botulinum toxin.

J Clin Neurosci. 2000 Sep;7(5):389-94. Review.

PMID: 10942658

245: Ben-Dov I, Chorney N, Gaides M, Shachor D.

Effect of thoracic sympathectomy on arm and leg exercise capacity and on lung function.

Respiration. 2000;67(4):378-82.

PMID: 10940790

246: Zamorski MA, Ward RK.

Social anxiety disorder: common, disabling, and treatable.

J Am Board Fam Pract. 2000 Jul-Aug;13(4):251-60. Review.

PMID: 10933289

247: Degouy A, Aubin A, Aubin F, Monnier G, Humbert P.

[Botulinum toxin in dermatology]

Ann Dermatol Venereol. 2000 Jun-Jul;127(6-7):638-42. Review. French. No abstract available.

PMID: 10930866

248: Heuberger J, Furrer M, Habicht J, Inderbitzi R.

[The indications for and results of video thoracoscopic sympathectomy]

Dtsch Med Wochenschr. 2000 Jul 7;125(27):817-21. German.

PMID: 10929535

249: Tsai JC, Lim KB, Lin SY, Kao MC.

Thermographic study of palmar and facial skin temperature of hyperhidrosis patients before and after thoracic sympathectomy.

J Formos Med Assoc. 2000 Jun;99(6):466-71.

PMID: 10925552

250: Yamamoto H, Kanehira A, Kawamura M, Okada M, Ohkita Y.

Needlescopic surgery for palmar hyperhidrosis.

J Thorac Cardiovasc Surg. 2000 Aug;120(2):276-9.

PMID: 10917942

251: Hofmann RJ.

Treatment of Frey's syndrome (gustatory sweating) and 'crocodile tears' (gustatory epiphora) with purified botulinum toxin.

Ophthal Plast Reconstr Surg. 2000 Jul;16(4):289-91.

PMID: 10923977

252: Kesler KA, Brooks-Brunn JA, Campbell RL, Brown JW.

Thoracoscopic sympathectomy for hyperhidrosis palmaris: a periareolar approach.

Ann Thorac Surg. 2000 Jul;70(1):314-7.

PMID: 10921742

253: Goh PM, Cheah WK, De Costa M, Sim EK.

Needlescopic thoracic sympathectomy: treatment for palmar hyperhidrosis.

Ann Thorac Surg. 2000 Jul;70(1):240-2.

PMID: 10921715

254: Huang W, Foster JA, Rogachefsky AS.

Pharmacology of botulinum toxin.

J Am Acad Dermatol. 2000 Aug;43(2 Pt 1):249-59. Review.

PMID: 10906647

255: Ohtsuka T, Saegusa M, Yamakage A, Yamazaki S.

Angioblastoma (Nakagawa) with hyperhidrosis, and relapse after a 10-year interval.

Br J Dermatol. 2000 Jul;143(1):223-4. No abstract available.

PMID: 10886183

256: Jansen T, Plewig G.

[Hyperhidrosis. 3: Iontophoresis in treatment of hyperhidrosis plantaris]

MMW Fortschr Med. 1999 Sep 2;141(35):45-6. German. No abstract available.

PMID: 10897958

257: Boni R, Kreyden OP, Burg G.

Revival of the use of botulinum toxin: application in dermatology.

Dermatology. 2000;200(4):287-91. Review.

PMID: 10894957

258: Bonanno PC.

Parotidectomy, a plastic approach.

Aesthetic Plast Surg. 2000 May-Jun;24(3):235. No abstract available.

PMID: 10890954

259: Sato K, Nitta E.

[Pontine hemorrhage presenting with Foville syndrome and transient contralateral hyperhidrosis]

Rinsho Shinkeigaku. 2000 Mar;40(3):271-3. Review. Japanese.  
PMID: 10885341

260: Kallgard A.

[Hyperhidrosis or withdrawal symptoms behind the Bounty mutiny?]  
Lakartidningen. 2000 May 24;97(21):2628-9. Swedish. No abstract available.  
PMID: 10881525

261: Wang YC, Lee WH, Chen WY, Fu YM.

Histopathological examination of chemo-sympathectomy in cats.  
Neurol Res. 2000 Jun;22(4):420-4.  
PMID: 10874694

262: Reisfeld R, Nguyen R, Pnini A.

Endoscopic thoracic sympathectomy for treatment of essential hyperhidrosis  
syndrome: experience with 650 patients.  
Surg Laparosc Endosc Percutan Tech. 2000 Feb;10(1):5-10.  
PMID: 10872518

263: Stammberger U, Steinacher C, Hillinger S, Schmid RA, Kinsbergen T, Weder  
W.

Early and long-term complaints following video-assisted thoracoscopic surgery:  
evaluation in 173 patients.  
Eur J Cardiothorac Surg. 2000 Jul;18(1):7-11.  
PMID: 10869933

264: Kreyden OP, Boni R, Burg G.

[Type A botulinum toxin: a new methods in treating focal hyperhidrosis. A summary  
of various possibilities in hyperhidrosis therapy with special emphasis type A

botulinum toxin injections]

Schweiz Rundsch Med Prax. 2000 May 18;89(21):909-15. Review. German.

PMID: 10859980

265: Amir M, Arish A, Weinstein Y, Pfeffer M, Levy Y.

Impairment in quality of life among patients seeking surgery for hyperhidrosis (excessive sweating): preliminary results.

Isr J Psychiatry Relat Sci. 2000;37(1):25-31.

PMID: 10857268

266: Yim AP, Liu HP, Lee TW, Wan S, Arifi AA.

'Needlescopic' video-assisted thoracic surgery for palmar hyperhidrosis.

Eur J Cardiothorac Surg. 2000 Jun;17(6):697-701.

PMID: 10856862

267: Sung SW, Kim YT, Kim JH.

Ultra-thin needle thoracoscopic surgery for hyperhidrosis with excellent cosmetic effects.

Eur J Cardiothorac Surg. 2000 Jun;17(6):691-6.

PMID: 10856861

268: Cina CS, Clase CM.

The Illness Intrusiveness Rating Scale: a measure of severity in individuals with hyperhidrosis.

Qual Life Res. 1999 Dec;8(8):693-8.

PMID: 10855343

269: Kardos A, Taylor DJ, Thompson C, Styles P, Hands L, Collin J, Casadei B.

Sympathetic denervation of the upper limb improves forearm exercise performance and skeletal muscle bioenergetics.

Circulation. 2000 Jun 13;101(23):2716-20.

PMID: 10851209

270: Markey AC.

Botulinum A exotoxin in cosmetic dermatology.

Clin Exp Dermatol. 2000 May;25(3):173-5. Review.

PMID: 10844487

271: Trignano M, Boatto R, Mastino GP, Ferrandu T, Padula G, Loi V, Pala C.

[Video-thoracoscopic sympathectomy in the treatment of Raynaud's disease and palmar hyperhidrosis]

Minerva Chir. 2000 Jan-Feb;55(1-2):17-23. Italian.

PMID: 10832279

272: Shetty A, Parikh P, Khubchandani RP.

Familial dysautonomia (Riley-Day syndrome).

Indian J Pediatr. 1995 May-Jun;62(3):367-9. Review. No abstract available.

PMID: 10829892

273: Dulguerov P, Quinodoz D, Cosendai G, Piletta P, Lehmann W.

Frey syndrome treatment with botulinum toxin.

Otolaryngol Head Neck Surg. 2000 Jun;122(6):821-7.

PMID: 10828793

274: Solomon BA, Hayman R.

Botulinum toxin type A therapy for palmar and digital hyperhidrosis.

J Am Acad Dermatol. 2000 Jun;42(6):1026-9.

PMID: 10827408

275: Saito H, Omura K, Tateyama M.

Alternating monomeric paresis with decreased skin temperature and hyperhidrosis in a case of thoracolumbar myelopathy.

Clin Auton Res. 2000 Apr;10(2):77-80.

PMID: 10823339

276: Drummond PD.

A caution about surgical treatment for facial blushing.

Br J Dermatol. 2000 Jan;142(1):194-5. No abstract available.

PMID: 10819557

277: Naver H, Swartling C, Aquilonius SM.

Palmar and axillary hyperhidrosis treated with botulinum toxin: one-year clinical follow-up.

Eur J Neurol. 2000 Jan;7(1):55-62.

PMID: 10809915

278: Wahlig JB Jr, Welch WC, Weigel TL, Luketich JD.

Microinvasive transaxillary thoracoscopic sympathectomy: technical note.

Neurosurgery. 2000 May;46(5):1254-7; discussion 1257-8.

PMID: 10807262

279: Bonanno PC, Palaia D, Rosenberg M, Casson P.

Prophylaxis against Frey's syndrome in parotid surgery.

Ann Plast Surg. 2000 May;44(5):498-501.

PMID: 10805299

280: Al Dohayan A.

Transaxillary thoracoscopic sympathectomy experience in a hot climate:  
management of the dominant hand.

Surg Laparosc Endosc Percutan Tech. 1999 Oct;9(5):317-21.

PMID: 10803392

281: Collin J, Whatling P.

Treating hyperhidrosis. Surgery and botulinum toxin are treatments of choice in  
severe cases.

BMJ. 2000 May 6;320(7244):1221-2. No abstract available.

PMID: 10797017

282: Kaddu S, Smolle J, Komericki P, Kerl H.

Auriculotemporal (Frey) syndrome in late childhood: an unusual variant presenting  
as gustatory flushing mimicking food allergy.

Pediatr Dermatol. 2000 Mar-Apr;17(2):126-8.

PMID: 10792802

283: Lochner J, Mohr B, Garcia-Gutierrez I, Schoppelrey HP, Gummer M, Breit R.

[Congenital pachyonychia type II (Jackson-Lawler syndrome)]

Hautarzt. 2000 Mar;51(3):192-5. German.

PMID: 10789082

284: Kornblut AD.

The fallacy of preventing Frey syndrome during parotidectomy.

Arch Otolaryngol Head Neck Surg. 2000 Apr;126(4):556-7. No abstract available.

PMID: 10772317

285: Aquilonius SM.

[From botulism to cosmetics--a story of a drug]

Lakartidningen. 2000 Mar 15;97(11):1228-31. Swedish. No abstract available.

PMID: 10771540

286: Karamfilov T, Konrad H, Karte K, Wollina U.

Lower relapse rate of botulinum toxin A therapy for axillary hyperhidrosis by dose increase.

Arch Dermatol. 2000 Apr;136(4):487-90.

PMID: 10768647

287: Jansen T.

[Botulinum toxin A for treatment of localized hyperhidrosis]

MMW Fortschr Med. 1999 Aug 12;141(31-32):46. German. No abstract available.

PMID: 10766536

288: Vanaclocha V, Saiz-Sapena N, Panta F.

Uniportal endoscopic superior thoracic sympathectomy.

Neurosurgery. 2000 Apr;46(4):924-8.

PMID: 10764266

289: Budzinski R.

[Frey syndrome: diagnosis and treatment]

Otolaryngol Pol. 1999;53(6):687-91. Polish.

PMID: 10763320

290: Swinehart JM.

Treatment of axillary hyperhidrosis: combination of the starch-iodine test with the tumescent liposuction technique.

Dermatol Surg. 2000 Apr;26(4):392-6.

PMID: 10759833

291: Lapiere JC, Hirsh A, Gordon KB, Cook B, Montalvo A.

Botulinum toxin type A for the treatment of axillary Hailey-Hailey disease.

Dermatol Surg. 2000 Apr;26(4):371-4.

PMID: 10759827

292: Zaiac M, Weiss E, Elgart G.

Botulinum toxin therapy for palmar hyperhidrosis with ADG needle.

Dermatol Surg. 2000 Mar;26(3):230. No abstract available.

PMID: 10759798

293: Leung AK.

Botulinum toxin therapy for hyperhidrosis.

Int J Dermatol. 2000 Feb;39(2):160. No abstract available.

PMID: 10733329

294: Banerjee SC.

Frey's syndrome without hyperhidrosis.

J R Soc Med. 1998 Dec;91(12):662. No abstract available.

PMID: 10730131

295: van der Linden J, Sinnige HA, van den Dorpel MA.

Gustatory sweating and diabetes.

Neth J Med. 2000 Apr;56(4):159-62.

PMID: 10727762

296: Jansen T, Plewig G.

[Hyperhidrosis. 2: Idiopathic hyperhidrosis, therapy]

MMW Fortschr Med. 1999 Aug 19;141(33):44-5. German. No abstract available.

PMID: 10726129

297: Jansen T, Plewig G.

[Hyperhidrosis. 1: Clinical manifestations]

MMW Fortschr Med. 1999 Aug 12;141(31-32):44-5. German. No abstract available.

PMID: 10726122

298: Kim SS, Rosenfield RL.

Hyperhidrosis as the only manifestation of hyperandrogenism in an adolescent girl.

Arch Dermatol. 2000 Mar;136(3):430-1. No abstract available.

PMID: 10724221

299: Shenefelt PD.

Hypnosis in dermatology.

Arch Dermatol. 2000 Mar;136(3):393-9. Review.

PMID: 10724204

300: Ghali FE, Fine JD.

Idiopathic localized unilateral hyperhidrosis in a child.

Pediatr Dermatol. 2000 Jan-Feb;17(1):25-8. Review.

PMID: 10720983

301: de Larquier A, Vial T, Brejoux G, Descotes J.

[Serotonergic syndrome after combining tramadol and iproniazid]  
Therapie. 1999 Nov-Dec;54(6):767-8. French. No abstract available.  
PMID: 10709455

302: Chaudhuri N, Birdi I, Ritchie AJ.

Current practice in thoracic sympathectomy.  
Hosp Med. 1999 Nov;60(11):807-11. Review.  
PMID: 10707191

303: Hofbauer GF, Nestle FO.

Irritant contact dermatitis of the hands following thoracic sympathectomy.  
Contact Dermatitis. 2000 Feb;42(2):119-20. No abstract available.  
PMID: 10703650

304: Liu DM, Lin SZ, Wang SD, Wu MY, Wang Y.

Xenografting human T2 sympathetic ganglion from hyperhidrotic patients provides short-term restoration of catecholaminergic functions in hemiparkinsonian athymic rats.  
Cell Transplant. 1999 Nov-Dec;8(6):583-91.  
PMID: 10701487

305: Feige K, Eser MW, Geissbuhler U, Balestra E, Metzler K.

[Clinical symptoms of and diagnostic possibilities for hypophyseal adenoma in horses]  
Schweiz Arch Tierheilkd. 2000 Feb;142(2):49-54. German.  
PMID: 10697998

306: Persaud NA, Myer CM 3rd, Rutter MJ.

Gustatory sweating syndrome of the submandibular gland.

Ear Nose Throat J. 2000 Feb;79(2):111-2.

PMID: 10697935

307: Vasudevan TM, van Rij AM, Nukada H, Taylor PK.

Skin wrinkling for the assessment of sympathetic function in the limbs.

Aust N Z J Surg. 2000 Jan;70(1):57-9.

PMID: 10696945

308: Sonsale A, Sharp JF, Johnson IJ.

Gustatory sweating of the external auditory canal.

J Laryngol Otol. 1999 Nov;113(11):1000-1. Review.

PMID: 10696379

309: Lepori M, Sartori C, Duplain H, Nicod P, Scherrer U.

Sympathectomy potentiates the vasoconstrictor response to nitric oxide synthase inhibition in humans.

Cardiovasc Res. 1999 Aug 15;43(3):739-43.

PMID: 10690345

310: Goffin V, Arrese JE, Pierard-Franchimont C, Pierard GE.

[Do you have a good nose? Small lexicon of bromhidroses and other body odors]

Rev Med Liege. 1999 Dec;54(12):931-4. French.

PMID: 10686799

311: Kerassidis S, Charistou A.

Nonresponders among hyperhidrotics.

Biol Psychol. 2000 Feb;52(1):85-90.

PMID: 10686374

312: Saiz-Sapena N, Vanaclocha V, Panta F, Kadri C, Torres W.

Operative monitoring of hand and axillary temperature during endoscopic superior thoracic sympathectomy for the treatment of palmar hyperhidrosis.

Eur J Surg. 2000 Jan;166(1):65-9.

PMID: 10688220

313: Lu YH, Hsieh MW, Tong YH.

Unilateral vocal cord paralysis following endotracheal intubation--a case report.

Acta Anaesthesiol Sin. 1999 Dec;37(4):221-4.

PMID: 10670122

314: Pierard-Franchimont C, Pierard GE.

[How I treat ... idiopathic hyperhidrosis]

Rev Med Liege. 1999 Nov;54(11):846-9. French.

PMID: 10667041

315: Hoshina K, Amemiya R, Asato Y, Hishikawa S, Nemoto K, Kiyoshima M, Kohno S, Shida D, Tanaka R, Suzuki A, Yoshimi F, Koizumi S.

[Ineffective and recurrent cases of thoracoscopic sympathectomy for hyperhidrosis and intractable pain]

Kyobu Geka. 2000 Feb;53(2):136-40. Japanese.

PMID: 10667025

316: Birner P, Auff E, Schnider P.

Persistent focal hyperhidrosis following opiate abuse.

Addiction. 1999 Jun;94(6):923-4. No abstract available.

PMID: 10665080

317: Adams RM.

Skin conditions of musicians.

Cutis. 2000 Jan;65(1):37-8. Review.

PMID: 10664874

318: Lee DY, Hong YJ, Shin HK.

Thoracoscopic sympathetic surgery for hyperhidrosis.

Yonsei Med J. 1999 Dec;40(6):589-95.

PMID: 10661037

319: Lin TS, Fang HY, Wu CY.

Repeat transthoracic endoscopic sympathectomy for palmar and axillary hyperhidrosis.

Surg Endosc. 2000 Feb;14(2):134-6.

PMID: 10656945

320: Lee DY, Yoon YH, Shin HK, Kim HK, Hong YJ.

Needle thoracic sympathectomy for essential hyperhidrosis: intermediate-term follow-up.

Ann Thorac Surg. 2000 Jan;69(1):251-3.

PMID: 10654524

321: Torch EM.

Remission of facial and scalp hyperhidrosis with clonidine hydrochloride and topical aluminum chloride.

South Med J. 2000 Jan;93(1):68-9.

PMID: 10653070

322: Arad-Cohen A, Blitzer A.

Botulinum toxin treatment for symptomatic Frey's syndrome.  
Otolaryngol Head Neck Surg. 2000 Feb;122(2):237-40.  
PMID: 10652397

323: Taylor SM, Yoo J, Matthews TW, Lampe HB, Trites JR.

Frey's syndrome and parotidectomy flaps: A retrospective cohort study.  
Otolaryngol Head Neck Surg. 2000 Feb;122(2):201-3.  
PMID: 10652390

324: Hancock BD.

Clinically benign parotid tumours: local dissection as an alternative to superficial parotidectomy in selected cases.  
Ann R Coll Surg Engl. 1999 Sep;81(5):299-301.  
PMID: 10645170

325: Ahn S.

Results of thoracoscopic sympathetic trunk transection.  
Eur J Vasc Endovasc Surg. 1999 Dec;18(6):543-4. No abstract available.  
PMID: 10637163

326: Imhof M, Zacherl J, Plas EG, Herbst F, Jakesz R, Fugger R.

Long-term results of 45 thoracoscopic sympathicotomies for primary hyperhidrosis in children.  
J Pediatr Surg. 1999 Dec;34(12):1839-42.  
PMID: 10626868

327: Ahmed OA, Kolhe PS.

Prevention of Frey's syndrome and volume deficit after parotidectomy using the superficial temporal artery fascial flap.

Br J Plast Surg. 1999 Jun;52(4):256-60.

PMID: 10624290

328: Rashid HI, Osman HS, McIrvine AJ.

Thoracoscopic (upper thoracic) sympathectomy for primary palmar hyperhidrosis in children.

Int J Clin Pract. 1998 Nov-Dec;52(8):537-8.

PMID: 10622050

329: Mamun M, Caddick S, Siddiqi MA.

Omeprazole and excessive sweating, if unrecognised, may lead to unnecessary investigations.

Postgrad Med J. 1999 Nov;75(889):701-2. No abstract available.

PMID: 10621892

330: Evoli A, Lo Monaco M, Marra R, Lino MM, Batocchi AP, Tonali PA.

Multiple paraneoplastic diseases associated with thymoma.

Neuromuscul Disord. 1999 Dec;9(8):601-3.

PMID: 10619720

331: Yamamoto H, Okada M, Kanehira A, Yamada A, Kawamura M.

Clinical experience with video-assisted thoracic sympathectomy through the retrosternal pulmonary junction.

Ann Thorac Surg. 1999 Dec;68(6):2361-3.

PMID: 10617045

332: Lu K, Liang CL, Lee TC, Chen HJ, Su TM, Liliang PC.

Changes of bilateral palmar skin temperature in transthoracic endoscopic T-2 sympathectomy.

J Neurosurg. 2000 Jan;92(1 Suppl):44-9.

PMID: 10616057

333: Langella C, Delaporte E, Beregi JP, Patenotre P, Breviere GM, Piette F.

[Giant multifocal venous malformation with monomelic predominance]

Ann Dermatol Venereol. 1999 Nov;126(11):817-21. French.

PMID: 10612860

334: Kim IH, Seo SL, Oh CH.

Minimally invasive surgery for axillary osmidrosis: combined operation with CO2 laser and subcutaneous tissue remover.

Dermatol Surg. 1999 Nov;25(11):875-9.

PMID: 10594601

335: Lin TS, Fang HY.

Transthoracic endoscopic sympathectomy in the treatment of palmar hyperhidrosis--with emphasis on perioperative management (1,360 case analyses).

Surg Neurol. 1999 Nov;52(5):453-7.

PMID: 10595764

336: Cartier B, Cartier P.

Thoracoscopic cervicodorsal sympathectomy with diathermy.

Ann Vasc Surg. 1999 Nov;13(6):582-5.

PMID: 10541610

337: Wong CW, Wang CH.

Left stellate stimulation increases left ventricular ejection fraction in patients with essential palmar hyperhidrosis.

J Auton Nerv Syst. 1999 Oct 8;78(1):64-7.

PMID: 10589825

338: Trotoux J, Pessey JJ, Chevalier D.

[Clinical case for the experts]

Ann Otolaryngol Chir Cervicofac. 1999 May;116(2):104-9. French. No abstract available.

PMID: 10577348

339: Heckmann M, Breit S, Ceballos-Baumann A, Schaller M, Plewig G.

Side-controlled intradermal injection of botulinum toxin A in recalcitrant axillary hyperhidrosis.

J Am Acad Dermatol. 1999 Dec;41(6):987-90.

PMID: 10570385

340: Reardon PR, Preciado A, Scarborough T, Matthews B, Marti JL.

Outpatient endoscopic thoracic sympathectomy using 2-mm instruments.

Surg Endosc. 1999 Nov;13(11):1139-42.

PMID: 10556455

341: Zacherl J, Imhof M, Huber ER, Plas EG, Herbst F, Jakesz R, Fugger R.

Video assistance reduces complication rate of thoracoscopic sympathectomy for hyperhidrosis.

Ann Thorac Surg. 1999 Oct;68(4):1177-81.

PMID: 10543476

342: Khogali SS, Miller M, Rajesh PB, Murray RG, Beattie JM.

Video-assisted thoracoscopic sympathectomy for severe intractable angina.

Eur J Cardiothorac Surg. 1999 Sep;16 Suppl 1:S95-8.

PMID: 10536958

343: Chiou SM, Chen SC.

Sensitivity, specificity and predictive value of intra-operative elevation of hand temperature to ensure a successful T2-sympathectomy in patients with palmar hyperhidrosis.

Acta Neurochir (Wien). 1999;141(8):855-9.

PMID: 10536722

344: Lin TS.

Transthoracic endoscopic sympathectomy for palmar and axillary hyperhidrosis in children and adolescents.

Pediatr Surg Int. 1999;15(7):475-8.

PMID: 10525902

345: Park DH.

Treatment of axillary bromhidrosis with superficial liposuction.

Plast Reconstr Surg. 1999 Oct;104(5):1580-1. No abstract available.

PMID: 10513955

346: Shelley WB, Shelley ED.

Symmetrical lividity of the soles.

Cutis. 1999 Sep;64(3):175-6. No abstract available.

PMID: 10500918

347: Dulguerov P, Marchal F, Gysin C.

Frey syndrome before Frey: the correct history.

Laryngoscope. 1999 Sep;109(9):1471-3.

PMID: 10499057

348: Lie D, Low CK, Yeo TT.

Extensor pollicis longus paralysis following thoracoscopic sympathectomy.

Ann Acad Med Singapore. 1999 Mar;28(2):282-3.

PMID: 10497683

349: Benohanian A, Dansereau A.

Influence of an antiperspirant on foot blister incidence during cross-country hiking.

J Am Acad Dermatol. 1999 Oct;41(4):655-6. No abstract available.

PMID: 10495394

350: Saito H, Sakuma H, Seno K.

A case of traumatic high thoracic myelopathy presenting dissociated impairment of rostral sympathetic innervations and isolated segmental sweating on otherwise anhidrotic trunk.

Tohoku J Exp Med. 1999 May;188(1):95-102.

PMID: 10494905

351: Boyvat A, Piskin G, Erdi H.

Idiopathic unilateral localized hyperhidrosis.

Acta Derm Venereol. 1999 Sep;79(5):404-5. No abstract available.

PMID: 10494735

352: Lin TS.

Transthoracic endoscopic sympathectomy for palmar hyperhidrosis in children and adolescents: analysis of 350 cases.

J Laparoendosc Adv Surg Tech A. 1999 Aug;9(4):331-4.  
PMID: 10488827

353: Leung AK, Chan PY, Choi MC.

Hyperhidrosis.

Int J Dermatol. 1999 Aug;38(8):561-7. Review. No abstract available.  
PMID: 10487442

354: Dulguerov P, Quinodoz D, Vaezi A, Cosendai G, Piletta P, Lehmann W.

New objective and quantitative tests for gustatory sweating.

Acta Otolaryngol. 1999;119(5):599-603.  
PMID: 10478603

355: Hashmonai M, Kopelman D, Assalia A.

Intermediate-term results of endoscopic transaxillary T2 sympathectomy for primary palmar hyperhidrosis.

Br J Surg. 1999 Jul;86(7):969-70. No abstract available.  
PMID: 10475703

356: Birch JF, Varma SK, Narula AA.

Botulinum toxoid in the management of gustatory sweating (Frey's syndrome) after superficial parotidectomy.

Br J Plast Surg. 1999 Apr;52(3):230-1.  
PMID: 10474477

357: Sood S, Quraishi MS, Jennings CR, Bradley PJ.

Frey's syndrome following parotidectomy: prevention using a rotation sternocleidomastoid muscle flap.

Clin Otolaryngol. 1999 Aug;24(4):365-8.

PMID: 10472476

358: Bianchi S, Abdelwahab IF, Garcia J.

Partial transient osteoporosis of the hand.

Skeletal Radiol. 1999 Jun;28(6):324-9.

PMID: 10450879

359: Dulguerov P, Quinodoz D, Cosendai G, Piletta P, Marchal F, Lehmann W.

Prevention of Frey syndrome during parotidectomy.

Arch Otolaryngol Head Neck Surg. 1999 Aug;125(8):833-9.

PMID: 10448728

360: Alonso Chico A, Rebollo Rueda JM, Cruz Pardos P, Cruz Moratinos A,  
Rodriguez Fraile JR, Gonzalez Aragonese F.

[Anesthesia in a case of bilateral sympathectomy using thoracoscopy]

Rev Esp Anesthesiol Reanim. 1999 Jun-Jul;46(6):271-2. Spanish. No abstract available.

PMID: 10439649

361: Beaulieu P.

[Treatment of hyperhidrosis by botulinum toxin]

Ann Dermatol Venereol. 1999 May;126(5):469-73. French. No abstract available.

PMID: 10434118

362: Okechukwu CN, Pesanti E.

Episodic spontaneous hyperhidrosis hypothermia in human immunodeficiency virus-positive patients.

Clin Infect Dis. 1999 Jul;29(1):210. No abstract available.

PMID: 10433593

363: Ghisletta N, Habicht J, Stulz P.

[Video-assisted thoracoscopic sympathectomy: spectrum of indications and our own results (1995-1997)]

Schweiz Med Wochenschr. 1999 Jul 3;129(26):985-92. German.

PMID: 10431322

364: Kakimoto S, Iwai H, Kumazawa H, Nakamura A, Yukawa H, Baba K, Asako M, Yamashita T.

[Clinical study of parotid tumors: a 20 year statistical analysis of 633 cases]

Nippon Jibiinkoka Gakkai Kaiho. 1999 Jun;102(6):801-8. Japanese.

PMID: 10429434

365: Scrivani SJ, Keith DA, Kulich R, Mehta N, Maciewicz RJ.

Posttraumatic gustatory neuralgia: a clinical model of trigeminal neuropathic pain.

J Orofac Pain. 1998 Fall;12(4):287-92.

PMID: 10425975

366: Johnson JP, Obasi C, Hahn MS, Glatleider P.

Endoscopic thoracic sympathectomy.

J Neurosurg. 1999 Jul;91(1 Suppl):90-7.

PMID: 10419374

367: Chopra KF, Evans T, Severson J, Tying SK.

Acute varicella zoster with postherpetic hyperhidrosis as the initial presentation of HIV infection.

J Am Acad Dermatol. 1999 Jul;41(1):119-21.

PMID: 10411424

368: Nakatsui TC, Schloss E, Krol A, Lin AN.

Eccrine angiomatous hamartoma: report of a case and literature review.

J Am Acad Dermatol. 1999 Jul;41(1):109-11. Review.

PMID: 10411421

369: Rubinstein RY, Rosen A, Leeman D.

Frey syndrome: treatment with temporoparietal fascia flap interposition.

Arch Otolaryngol Head Neck Surg. 1999 Jul;125(7):808-11.

PMID: 10406323

370: Kim SY, Mathog RH.

Platysma muscle-cervical fascia-sternocleidomastoid muscle (PCS) flap for parotidectomy.

Head Neck. 1999 Aug;21(5):428-33.

PMID: 10402523

371: Laccourreya O, Muscatello L, Gutierrez-Fonseca R, Seckin S, Brasnu D, Bonan B.

[Severe Frey syndrome after parotidectomy: treatment with botulinum neurotoxin type A]

Ann Otolaryngol Chir Cervicofac. 1999 Jun;116(3):137-42. French.

PMID: 10399528

372: Meffert JJ.

Galvanic urticaria.

Cutis. 1999 Jun;63(6):327-8.

PMID: 10388952

373: Sano T, Fukushige T, Miyagawa Y, Yamada S, Kano T.

[Intraoperative assessment by laser-Doppler skin blood flowmetry of the efficacy of endoscopic thoracic sympathectomy]

Masui. 1999 May;48(5):481-6. Japanese.

PMID: 10380502

374: Gordon N.

The role of botulinus toxin type A in treatment--with special reference to children.

Brain Dev. 1999 Apr;21(3):147-51. Review.

PMID: 10372898

375: Sudo K, Fujiki N, Tsuji S, Ajiki M, Higashi T, Niino M, Kikuchi S, Moriwaka F, Tashiro K.

Focal (segmental) dyshidrosis in syringomyelia.

J Neurol Neurosurg Psychiatry. 1999 Jul;67(1):106-8.

PMID: 10369833

376: Laskawi R, Ellies M, Rodel R, Schoenebeck C.

Gustatory sweating: clinical implications and etiologic aspects.

J Oral Maxillofac Surg. 1999 Jun;57(6):642-8; discussion 648-9.

PMID: 10368086

377: Moody AB, Avery CM, Taylor J, Langdon JD.

A comparison of one hundred and fifty consecutive parotidectomies for tumours and inflammatory disease.

Int J Oral Maxillofac Surg. 1999 Jun;28(3):211-5.

PMID: 10355945

378: Stromme P, Sundet K, Mork C, Cassiman JJ, Fryns JP, Claes S. Related Articles, OMIM

X linked mental retardation and infantile spasms in a family: new clinical data and linkage to Xp11.4-Xp22.11.

J Med Genet. 1999 May;36(5):374-8.

PMID: 10353782

379: Liu EH, Yih PS, Goh PM.

Non-dependent axillary artery compression during needlescopic thoracic sympathectomy.

Can J Anaesth. 1999 May;46(5 Pt 1):515. No abstract available.

PMID: 10349939

380: Becerril-Chihu G, Bazan-Mora E, Lopez-Martinez R, Sosa-de-Martinez C, Ruiz-Maldonado R.

How often are dermatophytes present in apparently normal versus scaly feet of children?

Pediatr Dermatol. 1999 Mar-Apr;16(2):87-9.

PMID: 10337668

381: Tsunemi T, Yokota T, Kikyo H, Yamamoto M, Yamada M, Kobayashi T, Mizusawa H.

Nonsystemic vasculitic neuropathy presenting with truncal segmental sensory disturbance and hyperhidrosis.

Muscle Nerve. 1999 May;22(5):646-7. No abstract available.

PMID: 10331367

382: Schnider P, Binder M, Kittler H, Birner P, Starkel D, Wolff K, Auff E.

A randomized, double-blind, placebo-controlled trial of botulinum A toxin for severe axillary hyperhidrosis.

Br J Dermatol. 1999 Apr;140(4):677-80.

PMID: 10233320

383: Nightingale KJ, Newman P, Davies MG.

A functioning eccrine hamartoma associated with Down's syndrome (46, xx,-21,+t(21q21q)).

Clin Exp Dermatol. 1998 Nov;23(6):264-6.

PMID: 10233622

384: Seukeran DC, Highet AS.

The use of topical glycopyrrolate in the treatment of hyperhidrosis.

Clin Exp Dermatol. 1998 Sep;23(5):204-5.

PMID: 10233600

385: Lin MT, Levy ML, Bowden PE, Magro C, Baden L, Baden HP, Roop DR.

Identification of sporadic mutations in the helix initiation motif of keratin 6 in two pachyonychia congenita patients: further evidence for a mutational hot spot.

Exp Dermatol. 1999 Apr;8(2):115-9.

PMID: 10232401

386: Urman JD, Bobrove AM.

Diabetic gustatory sweating successfully treated with topical glycopyrrolate: report of a case and review of the literature.

Arch Intern Med. 1999 Apr 26;159(8):877-8.

PMID: 10219935

387: Tedoriya T, Sakagami S, Ueyama T, Thompson L, Hetzer R.

Influences of bilateral endoscopic transthoracic sympathectomy on cardiac autonomic nervous activity.

Eur J Cardiothorac Surg. 1999 Feb;15(2):194-8.

PMID: 10219553

388: Maurer M, Sommer C.

[POEMS-Syndrome--unusual manifestation with bilateral Charcot's Joint]

Dtsch Med Wochenschr. 1999 Mar 26;124(12):346-50. German.

PMID: 10214367

389: Tugnoli V, Eleopra R, De Grandis D.

Hyperhidrosis and sympathetic skin response in chronic alcoholic patients.

Clin Auton Res. 1999 Feb;9(1):17-22.

PMID: 10212744

390: Onder M, Aksakal AB, Oztas MO, Gurer MA.

Skin problems of musicians.

Int J Dermatol. 1999 Mar;38(3):192-5. Review.

PMID: 10208614

391: Brehler R.

[Hyperhidrosis]

Internist (Berl). 1999 Mar;40(3):316. German. No abstract available.

PMID: 10205758

392: Fox AD, Hands L, Collin J.

The results of thoracoscopic sympathetic trunk transection for palmar hyperhidrosis and sympathetic ganglionectomy for axillary hyperhidrosis.

Eur J Vasc Endovasc Surg. 1999 Apr;17(4):343-6.

PMID: 10204058

393: Imaiso Y, Mitsuo K.

[Gerstmann-Straussler-Scheinker syndrome with a Pro102Leu mutation in the prion protein gene and atypical MRI findings, hyperthermia, tachycardia, and hyperhidrosis]

Rinsho Shinkeigaku. 1998 Oct-Nov;38(10-11):920-5. Japanese.

PMID: 10203975

394: Saito H.

Gustatory otalgia and wet ear syndrome: a possible cross-innervation after ear surgery.

Laryngoscope. 1999 Apr;109(4):569-72.

PMID: 10201742

395: Winter AJ, Wiselka MJ, Wilde JT, Radcliffe KW.

Fever, weight loss, and night sweats: infection or malignancy?

Sex Transm Infect. 1998 Dec;74(6):439-44. No abstract available.

PMID: 10195055

396: Lin CL, Yen CP, Howng SL.

The long-term results of upper dorsal sympathetic ganglionectomy and endoscopic thoracic sympathectomy for palmar hyperhidrosis.

Surg Today. 1999;29(3):209-13.

PMID: 10192729

397: Laccourreya O, Akl E, Gutierrez-Fonseca R, Garcia D, Brasnu D, Bonan B.

Recurrent gustatory sweating (Frey syndrome) after intracutaneous injection of botulinum toxin type A: incidence, management, and outcome.

Arch Otolaryngol Head Neck Surg. 1999 Mar;125(3):283-6.

PMID: 10190799

398: Kao MC, Chen YL, Lee YS, Hung CC, Huang SJ.

Craniofacial hyperhidrosis treated with video endoscopic sympathectomy.

J Clin Laser Med Surg. 1994 Apr;12(2):93-5.

PMID: 10147184

399: Ushiroyama T, Ikeda A, Ueki M.

Evidence for attenuation of gonadotropin pulse frequency in hypergonadotropic women with estradiol secretion in the menopausal transition.

Psychoneuroendocrinology. 1999 Jan;24(1):85-97.

PMID: 10098221

400: Uchino T, Ishimaru S, Makimura S, Fukushima H.

[Current appraisal of endoscopic thoracic sympathectomy: results of the national questionnaire surgery]

Kyobu Geka. 1999 Mar;52(3):204-9. Japanese.

PMID: 10097547

401: Meyerson B.

[Need for more careful alternative to sympathectomy. Complications following surgery for palmar sweating are more common than previously thought]

Lakartidningen. 1999 Mar 3;96(9):980-1. Swedish. No abstract available.

PMID: 10093434

402: Claes G, Raf L.

[Complications are frequent after surgery for excessive hand sweating. Patient should be informed about the risks]

Lakartidningen. 1999 Feb 24;96(8):930-2. Swedish. No abstract available.

PMID: 10089743

403: Hsia JY, Chen CY, Hsu CP, Shai SE, Yang SS.

Outpatient thoracoscopic limited sympathectomy for hyperhidrosis palmaris.

Ann Thorac Surg. 1999 Jan;67(1):258-9.

PMID: 10086571

404: Mork C.

[Who shall be treated for excessive sweating and how?]

Tidsskr Nor Laegeforen. 1999 Jan 20;119(2):178. Norwegian. No abstract available.

PMID: 10081345

405: Mehta M, Friedman SG, Frankini LA, Scher LA, Setzen M.

Frey's syndrome after carotid endarterectomy.

Ann Vasc Surg. 1999 Mar;13(2):232-4. Review.

PMID: 10072469

406: Shibata M, Nakao K, Galer BS, Shimizu T, Taniguchi H, Uchida T.

A case of reflex sympathetic dystrophy (complex regional pain syndrome, type I) resolved by cerebral contusion.

Pain. 1999 Feb;79(2-3):313-5.

PMID: 10068177

407: Jeng JS, Yip PK, Huang SJ, Kao MC.

Changes in hemodynamics of the carotid and middle cerebral arteries before and after endoscopic sympathectomy in patients with palmar hyperhidrosis: preliminary results.

J Neurosurg. 1999 Mar;90(3):463-7.

PMID: 10067914

408: Dummer R.

[Skin (cancer), hair and sweat]

Schweiz Med Wochenschr. 1999 Jan 12;129(1-2):46-8. German. No abstract available.

PMID: 10065505

409: Guerrissi J, Stoyanoff J.

Atypical Frey syndrome as a complication of Obwegeser osteotomy.

J Craniofac Surg. 1998 Nov;9(6):543-7.

PMID: 10029768

410: Cameron A.

Early experience with day-case transthoracic endoscopic sympathectomy.

Br J Surg. 1999 Jan;86(1):139. No abstract available.

PMID: 10027386

411: Chiou TS, Chen SC.

Intermediate-term results of endoscopic transaxillary T2 sympathectomy for primary palmar hyperhidrosis.

Br J Surg. 1999 Jan;86(1):45-7.

PMID: 10027358

412: Seline PC, Jaskierny DJ.

Cutaneous metastases from a chondroblastoma initially presenting as unilateral palmar hyperhidrosis.

J Am Acad Dermatol. 1999 Feb;40(2 Pt 2):325-7. No abstract available.

PMID: 10025860

413: Jost G, Guenon P, Gentil S.

Parotidectomy: a plastic approach.

Aesthetic Plast Surg. 1999 Jan-Feb;23(1):1-4.

PMID: 10022930

414: Lucchi M, Bilancini S, Tucci S.

[Palmoplantar hyperhidrosis: a therapeutic approach using iontophoresis]

Minerva Cardioangiol. 1998 Oct;46(10):397-8. Italian. No abstract available.

PMID: 10021826

415: Naumann M, Bergmann I, Hofmann U, Hamm H, Reiners K.

Botulinum toxin for focal hyperhidrosis: technical considerations and improvements in application.

Br J Dermatol. 1998 Dec;139(6):1123-4. No abstract available.

PMID: 9990394

416: Fisher AA.

Dermatitis in a musician. Part IV: Physiologic, emotional, and infectious problems in musicians.

Cutis. 1999 Jan;63(1):13-4. No abstract available.

PMID: 9951587

417: MacKinnon C, Lovie M.

An alternative treatment for Frey syndrome.

Plast Reconstr Surg. 1999 Feb;103(2):745-6. No abstract available.

PMID: 9950578

418: Erak S, Sieunarine K, Goodman M, Lawrence-Brown M, Bell R, Chandraratna H, Prendergast F.

Endoscopic thoracic sympathectomy for primary palmar hyperhidrosis: intermediate term results.

Aust N Z J Surg. 1999 Jan;69(1):60-4.

PMID: 9932925

419: Stolman LP.

Treatment of hyperhidrosis.

Dermatol Clin. 1998 Oct;16(4):863-9. Review.

PMID: 9891696

420: Fischer J, Bouadjar B, Heilig R, Fizames C, Prud'homme JF, Weissenbach J.  
Related Articles, OMIM

Genetic linkage of Meleda disease to chromosome 8qter.

Eur J Hum Genet. 1998 Nov-Dec;6(6):542-7.

PMID: 9887370

421: Wollina U, Mohr F, Schier F.

Unilateral hyperhidrosis, callosities, and nail dystrophy in a boy with tethered spinal cord syndrome.

Pediatr Dermatol. 1998 Nov-Dec;15(6):486-7. No abstract available.

PMID: 9875980

422: Sugiyama S, Ikeya T, Hara H, Ichiki K, Yanagi K, Doki Y, Tsuda M, Misaki T.

[Dorsal sympathectomy for palmar hyperhidrosis by the thin thoracoscope]

Kyobu Geka. 1998 Dec;51(13):1087-9. Japanese.

PMID: 9866340

423: Lee EK, Maselli RA, Ellis WG, Agius MA. Related Articles, OMIM

Morvan's fibrillary chorea: a paraneoplastic manifestation of thymoma.

J Neurol Neurosurg Psychiatry. 1998 Dec;65(6):857-62.

PMID: 9854961

424: Bergmann I, Dauphin M, Naumann M, Flachenecker P, Mullges W, Koltzenburg M, Sommer C.

Selective degeneration of sudomotor fibers in Ross syndrome and successful treatment of compensatory hyperhidrosis with botulinum toxin.

Muscle Nerve. 1998 Dec;21(12):1790-3.

PMID: 9843086

425: Holmes S, Mann C.

Botulinum toxin in the treatment of palmar hyperhidrosis.

J Am Acad Dermatol. 1998 Dec;39(6):1040-1. No abstract available.

PMID: 9843033

426: Callejas MA, Jimenez MJ, Catalan M, Baldo X.

[Craniofacial hyperhidrosis: a treatment with sympathectomy through videothoracoscopy]

Med Clin (Barc). 1998 Oct 17;111(12):479. Spanish. No abstract available.

PMID: 9842536

427: Enta T.

Dermacase. Pitted keratolysis.

Can Fam Physician. 1998 Nov;44:2387, 2396. No abstract available.

PMID: 9839053

428: Odderson IR.

Hyperhidrosis treated by botulinum A exotoxin.

Dermatol Surg. 1998 Nov;24(11):1237-41. Review.

PMID: 9834745

429: Tan V, Nam H.

Results of thoracoscopic sympathectomy for 96 cases of palmar hyperhidrosis.

Ann Thorac Cardiovasc Surg. 1998 Oct;4(5):244-6.

PMID: 9828280

430: Park DH, Kim TM, Han DG, Ahn KY.

A comparative study of the surgical treatment of axillary osmidrosis by instrument, manual, and combined subcutaneous shaving procedures.

Ann Plast Surg. 1998 Nov;41(5):488-97.

PMID: 9827951

431: Schulz V, Ward D, Moulin DE.

Segmental hyperhidrosis as a manifestation of spinal and paraspinal disease.

Can J Neurol Sci. 1998 Nov;25(4):325-7.

PMID: 9827236

432: Hsu CP, Chen CY, Hsia JY, Shai SE.

Resympathectomy for palmar and axillary hyperhidrosis.

Br J Surg. 1998 Nov;85(11):1504-5.

PMID: 9823911

433: Noppen M, Dab I, D'Haese J, Meysman M, Vincken W.

Thoracoscopic T2-T3 sympathicolytic for essential hyperhidrosis in childhood: effects on pulmonary function.

Pediatr Pulmonol. 1998 Oct;26(4):262-4.

PMID: 9811076

434: Heckmann M, Schaller M, Ceballos-Baumann A, Plewig G.

Follow-up of patients with axillary hyperhidrosis after botulinum toxin injection.

Arch Dermatol. 1998 Oct;134(10):1298-9. No abstract available.

PMID: 9801697

435: Kopelman D, Hashmonai M, Ehrenreich M, Assalia A.

Thoracoscopic sympathectomy for hyperhidrosis: is there a learning curve?

Surg Laparosc Endosc. 1998 Oct;8(5):370-5.

PMID: 9799148

436: Pang WW, Chang DP, Lin CH, Huang MH.

Negative pressure pulmonary oedema induced by direct suctioning of endotracheal tube adapter.

Can J Anaesth. 1998 Aug;45(8):785-8.

PMID: 9793669

437: Slabbynck H, Bedert L, De Deyn PP, Galdermans D, Coolen D.

Unilateral segmental hyperhidrosis associated with pulmonary adenocarcinoma.

Chest. 1998 Oct;114(4):1215-7.

PMID: 9792600

438: Nagai Y, Ohta M, Yokoyama H, Takamura T, Kobayashi KI.

Amyloid goiter presented as a subacute thyroiditis-like symptom in a patient with hypersensitivity vasculitis.

Endocr J. 1998 Jun;45(3):421-5.

PMID: 9790279

439: Raposio E, Filippi F, Nordstrom RE, Santi P.

Endoscopic transthoracic dorsal sympathectomy for the treatment of upper extremity hyperhidrosis: a new minimally invasive approach.

Plast Reconstr Surg. 1998 Oct;102(5):1629-32.

PMID: 9774023

440: Rex L, Claes G, Drott C, Pegenius G, Elam M.

Vasomotor and sudomotor function in the hand after thoracoscopic transection of the sympathetic chain: implications for choice of therapeutic strategy.

Muscle Nerve. 1998 Nov;21(11):1486-92.

PMID: 9771674

441: Cliff S, Lever R, Moss AL, Mortimer PS.

Frey's syndrome without hyperhidrosis.

J R Soc Med. 1998 Jul;91(7):388-9. No abstract available.

PMID: 9771503

442: Benohanian A, Dansereau A, Bolduc C, Bloom E.

Localized hyperhidrosis treated with aluminum chloride in a salicylic acid gel base.

Int J Dermatol. 1998 Sep;37(9):701-3. No abstract available.

PMID: 9762825

443: Sood S, Quraishi MS, Bradley PJ.

Frey's syndrome and parotid surgery.

Clin Otolaryngol. 1998 Aug;23(4):291-301. Review. No abstract available.

PMID: 9762489

444: Grabham JA, Raitt D, Barrie WW.

Early experience with day-case transthoracic endoscopic sympathectomy.

Br J Surg. 1998 Sep;85(9):1266. No abstract available.

PMID: 9752873

445: Claes G, Drott C, Dalman P, Rex L, Gothberg G, Fahlen T.

[Treatment of facial blushing with endoscopic thoracal sympathectomy. 85 per cent of patients are satisfied, but there are adverse effects]

Lakartidningen. 1998 Aug 26;95(35):3660-2. Swedish.

PMID: 9748777

446: Aquilonius SM, Naver H.

[New therapeutic principle in severe hyperhidrosis. Botulinum toxin injections can replace cutting of nerves]

Lakartidningen. 1998 Aug 26;95(35):3658-9. Swedish. No abstract available.

PMID: 9748776

447: Drange MR, Melmed S.

Long-acting lanreotide induces clinical and biochemical remission of acromegaly caused by disseminated growth hormone-releasing hormone-secreting carcinoid.

J Clin Endocrinol Metab. 1998 Sep;83(9):3104-9.

PMID: 9745411

448: Deaner P.

Thalidomide for distressing night sweats in advanced malignant disease.

Palliat Med. 1998 May;12(3):208-9. No abstract available.

PMID: 9743843

449: Teague A, Akhtar S, Phillips J.

Frey's syndrome following submandibular gland excision: an unusual postoperative complication.

ORL J Otorhinolaryngol Relat Spec. 1998 Nov-Dec;60(6):346-8. Review.

PMID: 9742284

450: Michel JL, Secchi T, Balme B, Barrut D, Thomas L, Moulin G.

[Congenital eccrine angiomatous hamartoma]

Ann Dermatol Venereol. 1997;124(9):623-5. Review. French.

PMID: 9739926

451: Glogau RG.

Botulinum A neurotoxin for axillary hyperhidrosis. No sweat Botox.

Dermatol Surg. 1998 Aug;24(8):817-9.

PMID: 9723044

452: Patel N, Poole A.

Recurrent benign parotid tumours: the lesson not learnt yet? .

Aust N Z J Surg. 1998 Aug;68(8):562-4.

PMID: 9715131

453: Nakajima A, Sendo W, Tsutsumino M, Koseki Y, Ichikawa N, Akama H, Taniguchi A, Terai C, Hara M, Kashiwazaki S.

Acute sympathetic hyperfunction in overlapping syndromes of systemic lupus erythematosus and polymyositis.

J Rheumatol. 1998 Aug;25(8):1638-41. Review.

PMID: 9712113

454: Pillay PK, Kumar K, Tang KK.

Video-endoscopic and mini-endoscopic sympathectomy for hyperhidrosis.

Stereotact Funct Neurosurg. 1997;69(1-4 Pt 2):274-7.

PMID: 9711766

455: Singh B, Moodley J, Haffejee AA, Ramdial PK, Robbs JV, Rajaruthnam P.

Resympathectomy for sympathetic regeneration.

Surg Laparosc Endosc. 1998 Aug;8(4):257-60.

PMID: 9703595

456: Maeoka Y, Maegaki Y.

[Hyperexcitability of the blink reflex in a child with opsoclonus-myoclonus syndrome]

No To Hattatsu. 1998 Jul;30(4):323-7. Japanese.

PMID: 9695628

457: Okura T, Suzuki T, Suzuki S, Kitami A, Hori G.

Endoscopic transthoracic sympathectomy with a fine (2-mm) thoracoscope in palmar hyperhidrosis: a case report.

J Laparoendosc Adv Surg Tech A. 1998 Jun;8(3):161-5.

PMID: 9681430

458: Yu GY, Ma DQ, Liu XB, Zhang MY, Zhang Q.

Local excision of the parotid gland in the treatment of Warthin's tumour.

Br J Oral Maxillofac Surg. 1998 Jun;36(3):186-9.

PMID: 9678883

459: Lucas A, Rolland Y, Journeaux N, Kerdiles Y, Chevrant-Breton J, Duvauferrier R.

Computed tomography guided thoracic sympatholysis for palmar hyperhidrosis.  
J Cardiovasc Surg (Torino). 1998 Jun;39(3):387-9.  
PMID: 9678568

460: De Leo V, Lanzetta D, Cazzavacca R, Morgante G.

[Treatment of neurovegetative menopausal symptoms with a phytotherapeutic agent]  
Minerva Ginecol. 1998 May;50(5):207-11. Italian.  
PMID: 9677811

461: Kwon OS, Kim BS, Cho KH, Kwon JS, Shin MS, Youn JI, Chung JH.

Essential hyperhidrosis: no evidence of abnormal personality features.  
Clin Exp Dermatol. 1998 Jan;23(1):45-6. No abstract available.  
PMID: 9667113

462: Payne CM, Doe PT.

Liposuction for axillary hyperhidrosis.  
Clin Exp Dermatol. 1998 Jan;23(1):9-10.  
PMID: 9667100

463: Shuster S.

Compensatory hyperhidrosis after thoracic sympathectomy.  
Lancet. 1998 Apr 11;351(9109):1136. No abstract available.  
PMID: 9660615

464: Collin J.

Compensatory hyperhidrosis after thoracic sympathectomy.  
Lancet. 1998 Apr 11;351(9109):1136. No abstract available.  
PMID: 9660614

465: Rehberg E, Schroeder HG, Kleinsasser O.

[Surgery in benign parotid tumors: individually adapted or standardized radical interventions?]

Laryngorhinootologie. 1998 May;77(5):283-8. German.  
PMID: 9644676

466: Zacherl J, Huber ER, Imhof M, Plas EG, Herbst F, Fugger R.

Long-term results of 630 thoracoscopic sympathicotomies for primary hyperhidrosis: the Vienna experience.

Eur J Surg Suppl. 1998;(580):43-6.

PMID: 9641386

467: Sayeed RA, Nyamekye I, Ghauri AS, Poskitt KR.

Quality of life after transthoracic endoscopic sympathectomy for upper limb hyperhidrosis.

Eur J Surg Suppl. 1998;(580):39-42.

PMID: 9641385

468: Cameron AE.

Complications of endoscopic sympathectomy.

Eur J Surg Suppl. 1998;(580):33-5.

PMID: 9641383

469: Telaranta T.

Treatment of social phobia by endoscopic thoracic sympathectomy.

Eur J Surg Suppl. 1998;(580):27-32.

PMID: 9641382

470: Rex LO, Drott C, Claes G, Gothberg G, Dalman P.

The Boras experience of endoscopic thoracic sympathectomy for palmar, axillary, facial hyperhidrosis and facial blushing.

Eur J Surg Suppl. 1998;(580):23-6.

PMID: 9641381

471: Krasna MJ, Demmy TL, McKenna RJ, Mack MJ.

Thoracoscopic sympathectomy: the U.S. experience.

Eur J Surg Suppl. 1998;(580):19-21.

PMID: 9641380

472: Telaranta T.

Secondary sympathetic chain reconstruction after endoscopic thoracic sympathectomy.

Eur J Surg Suppl. 1998;(580):17-8.

PMID: 9641379

473: Lin CC, Mo LR, Lee LS, Ng SM, Hwang MH.

Thoracoscopic T2-sympathetic block by clipping--a better and reversible operation for treatment of hyperhidrosis palmaris: experience with 326 cases.

Eur J Surg Suppl. 1998;(580):13-6.

PMID: 9641378

474: Duarte JB, Kux P.

Improvements in video-endoscopic sympathicotomy for the treatment of palmar, axillary, facial, and palmar-plantar hyperhidrosis.

Eur J Surg Suppl. 1998;(580):9-11.

PMID: 9641377

475: Cohen Z, Levi I, Pinsk I, Mares AJ.

Thoracoscopic upper thoracic sympathectomy for primary palmar hyperhidrosis--the combined paediatric, adolescents and adult experience.

Eur J Surg Suppl. 1998;(580):5-8.

PMID: 9641376

476: Heckmann M.

Complications in patients with palmar hyperhidrosis treated with transthoracic endoscopic sympathectomy.

Neurosurgery. 1998 Jun;42(6):1403-4. No abstract available.

PMID: 9632210

477: Braunius WW, Gerrits MA.

[Treatment of Frey's syndrome with botulinum A toxin]

Ned Tijdschr Geneesk. 1998 Apr 11;142(15):859-63. Dutch.

PMID: 9623161

478: Collin J.

Predicting changes in the distribution of sweating following thoracoscopic sympathectomy.

Br J Surg. 1998 Apr;85(4):570. No abstract available.

PMID: 9607547

479: Beale P, Filshie J, Judson I.

Frey's syndrome after cisplatin-based chemotherapy for testicular teratoma.  
Ann Oncol. 1998 Jan;9(1):118-9. No abstract available.  
PMID: 9541695

480: Takama H, Tamada Y, Yokochi K, Ikeya T.

Pitted keratolysis: a discussion of two cases in non-weight-bearing areas.  
Acta Derm Venereol. 1998 May;78(3):225-6. No abstract available.  
PMID: 9602235

481: Lewis DR, Irvine CD, Smith FC, Lamont PM, Baird RN.

Sympathetic skin response and patient satisfaction on long-term follow-up after  
thoroscopic sympathectomy for hyperhidrosis.  
Eur J Vasc Endovasc Surg. 1998 Mar;15(3):239-43.  
PMID: 9587338

482: Heckmann M, Schaller M, Plewig G, Ceballos-Baumann A.

Optimizing botulinum toxin therapy for hyperhidrosis.  
Br J Dermatol. 1998 Mar;138(3):553-4. No abstract available.  
PMID: 9580827

483: Tadini G, Restano L, Gonzales-Perez R, Gonzales-Ensenat A, Vincente-Villa  
MA, Cambiaghi S, Marchettini P, Mastrangelo M, Happle R.

Phacomatosis pigmentokeratolica: report of new cases and further delineation of  
the syndrome.  
Arch Dermatol. 1998 Mar;134(3):333-7.  
PMID: 9580120

484: Laskawi R, Schott T, Schroder M.

Recurrent pleomorphic adenomas of the parotid gland: clinical evaluation and long-term follow-up.

Br J Oral Maxillofac Surg. 1998 Feb;36(1):48-51.

PMID: 9578257

485: Kao MC.

Complications in patients with palmar hyperhidrosis treated with transthoracic endoscopic sympathectomy.

Neurosurgery. 1998 Apr;42(4):951-2. No abstract available.

PMID: 9574667

486: Zacherl J, Imhof M, Plas EG, Herbst F, Fugger R.

[Hyperhidrosis of the upper extremity: long-term outcome of endoscopic thoracic sympathectomy]

Langenbecks Arch Chir Suppl Kongressbd. 1997;114:1287-9. German.

PMID: 9574405

487: Bornmyr S, Svensson H, Soderstrom T, Sundkvist G, Wollmer P.

Finger skin blood flow in response to indirect cooling in normal subjects and in patients before and after sympathectomy.

Clin Physiol. 1998 Mar;18(2):103-7.

PMID: 9568348

488: Jacobsson H, Celsing F, Ingvar M, Stone-Elander S, Larsson SA.

Accumulation of FDG in axillary sweat glands in hyperhidrosis: a pitfall in whole-body PET examination.

Eur Radiol. 1998;8(3):482-3.

PMID: 9510592

489: Buitrago LJ, Molins L, Vidal G.

[Treatment of palmar hyperhidrosis by video-thoracoscopic thoracic sympathectomy]

Med Clin (Barc). 1998 Feb 28;110(7):279. Spanish. No abstract available.  
PMID: 9562958

490: Callejas MA.

[Treatment of primary hyperhidrosis: a new indication for video thoracoscopy]

Arch Bronconeumol. 1998 Feb;34(2):57-8. Spanish. No abstract available.  
PMID: 9557176

491: Young MF, McCarthy PW.

Effect of acupuncture stimulation of the auricular sympathetic point on evoked sudomotor response.

J Altern Complement Med. 1998 Spring;4(1):29-38.

PMID: 9553833

492: Wollina U, Uhlemann C, Elstermann D, Kober L, Barta U.

[Therapy of hyperhidrosis with tap water iontophoresis. Positive effect on healing time and lack of recurrence in hand-foot eczema]

Hautarzt. 1998 Feb;49(2):109-13. German.

PMID: 9551332

493: Heckmann M, Breit S, Ceballos-Baumann A, Schaller M, Plewig G.

[Axillary hyperhidrosis: successful treatment with botulinum toxin A]

Hautarzt. 1998 Feb;49(2):101-3. German.

PMID: 9551330

494: Heckmann M, Ceballos-Baumann A, Schaller M, Plewig G.

[Botulinum toxin A in dermatology]

Hautarzt. 1998 Feb;49(2):87-90. German.

PMID: 9551328

495: Bouassida S, Walha N, Boudaya S, Turki H, Jlidi R, Zahaf A.

[Nodule of the back of the foot with localized hyperhidrosis]

Ann Pathol. 1998 Feb;18(1):63-4. French. No abstract available.

PMID: 9551162

496: Kopelman D, Hashmonai M, Assalia A, Bahous H.

Primary palmar hyperhidrosis presenting with unilateral symptoms: a report of two cases and review of the literature.

Cardiovasc Surg. 1998 Feb;6(1):94-6. Review.

PMID: 9546853

497: Parslew R, Lewis-Jones MS.

Localized unilateral hyperhidrosis secondary to an eccrine naevus.

Clin Exp Dermatol. 1997 Sep;22(5):246-7.

PMID: 9536550

498: Duroux S, Ballester M, Michelet V, Majoufre C, Siberchicot F, Pinsolle J.

[Surgical treatment of pleomorphic adenoma of the parotid gland. Apropos of 192 cases]

Rev Stomatol Chir Maxillofac. 1998 Feb;98(6):336-8. French.

PMID: 9533238

499: Freeman GL.

Gustatory sweating in the differential diagnosis of food allergy.

Allergy Asthma Proc. 1998 Jan-Feb;19(1):1-2.

PMID: 9532317

500: Umeda T, Nakaji S, Sugawara K, Kurakake S, Okamura N, Ohshita Y, Sakurai Y, Yoshizawa N.

[A study on the effects of physical load placed on high school baseball managers during midsummer games]

Nippon Eiseigaku Zasshi. 1998 Jan;52(4):641-6. Japanese.

PMID: 9528262